



CONTRACTOR

PRODUCT CATALOG





EMISSION REDUCTION	3	DAMAGE PREVENTION	16
PE PIPE TOOLS	4	INSTRUMENTS & GAUGES	18
BUTT FUSION	8	PERSONAL PROTECTIVE EQUIPMENT	20
ELECTROFUSION	9	CATHODIC PROTECTION	24
SOCKET FUSION	10	HAND TOOLS	25
STEEL PIPE TOOLS	11	EXCAVATION & CONSTRUCTION	29
TAPPING & PLUGGING ACCESSORIES	13	POWER TOOLS	32
LEAK DETECTION-SURVEY	14	MISCELLANEOUS	34

OUR PURPOSE:

SOLVING PROBLEMS • MAKING CONNECTIONS • SERVING OTHERS

OUR CORE VALUES:

WE WILL:

- **DO THE RIGHT THING**
- **PUT CUSTOMERS FIRST**
- **CARE FOR TEAMMATES**
- **WORK HARD**
- **CONSTANTLY IMPROVE**
- **HAVE FUN**

SCAN TO VISIT OUR WEBSITE:



EMISSION REDUCTION EQUIPMENT

ITEM ID	MANUFACTURER	PRODUCT DESCRIPTION
52764	ZEVAC	Mini
Call	ZEVAC	Mini HP
Call	ZEVAC	Twin
Call	ZEVAC	Quad HP
Call	ZEVAC	Quad
52765	ZEVAC	Two High Pressure Hoses, 1in x 25ft, Drawdown and Inlet Trees, Fire Extinguisher, Misc Tools, Misc Fittings



ZEVAC QUAD

- 58.5" X 41" X 72"
- 3,350 lbs
- Pressure Range: 0-1,500 psig

ZEVAC BLOWDOWN RECOVERY SYSTEM

- Reduces job-site hazards
- Removes the risk of venting and flaring
- Puts an end to high noise and odor
- Prevents methane release (or venting)
- Prevents flammable cloud formation
- Eliminates greenhouse gases
- 100% of product remains in pipe
- Allows emission-less operations
- Scalable across all pipeline pressures
- 100% (air) powered and controlled
- ZERO electric components
- Low heat
- Automatic shut-down
- Low suction pressure
- High discharge pressure
- Pressure relief
- Simple operation with on/off control
- HAZOP completed
- Available in three sizes - Mini, Twin, and Quad

ZEVAC TWIN

- 58.5" X 41" X 46"
- 1,850 lbs
- Pressure Range: 0-600 psig

ZEVAC TWIN HP

- 58.5" X 41" X 46"
- 1,850 lbs
- Pressure Range: 0-1,500 psig



ZEVAC MINI

- 48" X 16" X 16"
- 185 lbs
- Pressure Range: 0-200 psig

ZEVAC MINI HP

- 48" X 16" X 16"
- 285 lbs
- Pressure Range: 0-1,500 psig





EGW TEST CAPS
 • Custom Kits Available



IONIX STATIC SUPPRESSOR
 • Easier to use than soapy burlap or film wrap
 • Versatile
 • Lab tested for safety
 • Optional aerosol reach tool available
 • 12 bottles per case

POLYETHYLENE PIPE TOOLS

ITEM ID	MANUFACTURER	PRODUCT DESCRIPTION
19877	EGW	Test Cap Kit 1/2" CTS PE w/Safety Gag
19878	EGW	Test Cap Kit 1/2" IPS PE w/Safety Gag
19879	EGW	Test Cap Kit 3/4" IPS PE w/Safety Gag
19880	EGW	Test Cap Kit 1" IPS PE w/Safety Gag
19881	EGW	Test Cap Kit 1-1/4" IPS PE w/Safety Gag
19882	EGW	Test Cap Kit 1-1/2" IPS PE w/Safety Gag
19883	EGW	Test Cap Kit 2" IPS PE w/Safety Gag
22454	Ionix	Aerosol Static Suppressor - 13 oz
24757	Ionix	Aerosol Static Suppressor - 13 oz Low Temp
22837	Ionix	Aerosol Reach Tool
38592	Ionix	Pole for Aerosol Reach Tool
Call	Ionix	Static Meter
14163	Footage	C132 Squeeze Tool, 1/2"-3/4", Manual, Vice-Grip Style
14182	Footage	C50 Squeeze Tool, 1/2"-1-1/4", Manual
14158	Footage	C100 Squeeze Tool, 1/2"-2", Manual
14167	Footage	C156 Squeeze Tool, 1"-4", Manual
20498	Footage	C177 Squeeze Tool, 1"-4", Hydraulic
14179	Footage	C400 Squeeze Tool, 2"-6", Manual
14183	Footage	C600 Squeeze Tool, 2"-6", Hydraulic
14193	Footage	C850 Squeeze Tool, 4"-8", Hydraulic
20495	Footage	C1200 Squeeze Tool, 8"-12", Hydraulic
16141	Reed	Squeeze Tools 1/2"-1" IPS/CTS
48501	Reed	Squeeze Tools 1/2"-2" CTS PE
16142	Reed	Squeeze Tools 1/2"-2" IPS PE
29991	Reed	Squeeze Tools 2"-4" PE



FOOTAGE C50
 • For 1/2" - 1-1/4" diameter pipe



FOOTAGE C100
 • For 1/2" - 2" diameter pipe



FOOTAGE C156
 • For 1" - 4" diameter pipe



FOOTAGE C400
 • For 2" - 6" diameter pipe



FOOTAGE C177
 • For 1" - 4" diameter pipe



FOOTAGE C600
 • For 2" - 6" diameter pipe



FOOTAGE C850
 • For 4" - 8" diameter pipe




FOOTAGE C1200
 • For 8" - 12" diameter pipe

POLYETHYLENE PIPE TOOLS

ITEM ID	MANUFACTURER	PRODUCT DESCRIPTION
45459	RITMO America	Universal Aligner 63 (1/2" IPS - 2" IPS) Qty 2 Arms
52836	RITMO America	Aligner Eco 20-63 (1/2" IPS - 2" IPS) Qty 2 Arms
45460	RITMO America	Universal Aligner 160 Light (2" IPS - 6" IPS) Qty 2 Arms
45465	RITMO America	Universal Aligner 160 Light (2" IPS - 6" IPS) Qty 1 Extra Arm For Tees
45458	RITMO America	Aligner Eco 63-180 (2" IPS - 6" DIPS) Qty 2 Arms
41919	RITMO America	Aligner Eco 63-180 (2" IPS - 6" DIPS) Qty 3 Arms
45463	RITMO America	Aligner 125-500 (4" IPS - 20" IPS) Qty 2 Arms
45464	RITMO America	Aligner 125-500 (4" IPS - 20" IPS) Qty 3 Arms
55042	RITMO America	Rollers 355 (Up To 14" IPS)
52889	RITMO America	Rollers 1000 (10" Dips - 36" DIPS)
52878	RITMO America	HS Rollers 250 (Up To 8" DIPS)
52879	RITMO America	HS Rollers 355 (Up To 14" IPS)
52880	RITMO America	HS Rollers 630 (Up To 24" DIPS)
49095	Georg Fischer	Clamp, Locking Pliers 1-1/4" IPS
49097	Georg Fischer	Clamp, Locking Pliers 2" IPS/CTS, Wide Body
22078	Georg Fischer	Mini Full Coupling Clamp 1/2" CTS
23113	Georg Fischer	Mini Full Coupling Clamp 1/2" IPS
49096	Georg Fischer	Mini Full Coupling Clamps 3/4" IPS
23114	Georg Fischer	Mini Full Coupling Clamp 3/4" CTS
23115	Georg Fischer	Mini Full Coupling Clamps 1" CTS
49623	Georg Fischer	Mini Full Coupling Clamps 1" IPS
23126	Georg Fischer	Mini Full Coupling Clamps 1-1/4" IPS
10756	Georg Fischer	Saddle Clamp 2"
10758	Georg Fischer	Saddle Clamp 4"
10754	Georg Fischer	Multi Clamp Kit 2"-4" w/ 18" Base in Tool Box



RITMO ROLLER 355
• Supports pipes up to 14" IPS



RITMO ROLLER 1000
• Supports pipes 10" - 36" DIPS



GFCP LOCKING PLIER CLAMPS
• For 1-1/4"-2" IPS



GFCP MINI-CLAMPS
• For 1/2"-1" IPS
• For 1/2" CTS



GFCP SADDLE CLAMPS
• For 2"-4" IPS



GFCP MULTI-CLAMP KIT
• For 2", 3" & 4" IPS



RITMO UNIVERSAL ALIGNER 63
• Aligns & supports pipes 1/2" - 2"



RITMO ALIGNER ECO 20-63
• Aligns & supports pipes 1/2" - 2" IPS



RITMO UNIVERSAL ALIGNER 160
• Aligns & supports pipes 2" - 6" IPS



RITMO ALIGNER ECO 63-180
• Aligns & supports pipes 2" - 6" DIPS



RITMO ALIGNER 125-500
• Aligns & supports pipes 4" - 20" IPS



RITMO HS ROLLERS
• Supports pipes 8" - 24" DIPS



GFCP HVTT TOOL

- Three adjustable settings
- For GFCP Conventional HVTT Fittings, Electrofusion HVTT Fittings, and HiFlow HVTT Fittings



GFCP FSEQ ROTARY PEELER

- Spring loaded peeling blade
- Pivoted mounted peeling blade
- No limitation of peeling length
- Time saving
- No damage of pipe surface and no dirty feed rolls
- Peeler is always ready to use



GFCP SURPEEL

- Controlled advance with threaded drive
- Sandvik hardened knife steel cutting blades
- Quick release ratchet
- Anodized aluminum body and serviceable components
- Mandrels re-round out-of-round tubing
- Floating blades
- Directly opposed dual cutting blades



RITMO TURBO PEELERS

- Made for pipes & fittings 1/2" - 2" IPS
- Great for confined spaces
- Allows fast & precise scraping w/o defects
- 6 different sizes available



RITMO PIPE SCRAPERS

- Prepares PE Pipe 2" - 14" IPS
- Composed of a mandrel device to cover all working diameters
- Rotating arm with a blade
- Service tools and transport case included

POLYETHYLENE PIPE TOOLS

ITEM ID	MANUFACTURER	PRODUCT DESCRIPTION
10779	Georg Fischer	HVTT Tool
50685	Georg Fischer	Ratchet for HVTT Tool
10779	Georg Fischer	Driver HVTT Punch Tool, 5/8 Hex Wide Body
10729	Georg Fischer	Driver Punch 1/2 Hex 11 in, Handle Service Tees
10780	Georg Fischer	Service Tee Tool
39416	Georg Fischer	FSEQ Rotary Peeler 2"
39417	Georg Fischer	FSEQ Rotary Peeler 3"
39418	Georg Fischer	FSEQ Rotary Peeler 4"
39419	Georg Fischer	FSEQ Rotary Peeler 6"
39429	Georg Fischer	FSEQ Rotary Peeler Blade Kit
39424	Georg Fischer	Blade Kit for FSEQ Rotary Peeler
48350	Georg Fischer	Surpeel 1/2" CTS
48351	Georg Fischer	Surpeel 1/2" IPS
48352	Georg Fischer	Surpeel 3/4" IPS
48353	Georg Fischer	Surpeel 1" CTS
48354	Georg Fischer	Surpeel 1" IPS
48355	Georg Fischer	Surpeel 1-1/4" IPS
48356	Georg Fischer	Surpeel 2" IPS
48599	Georg Fischer	Surpeel Blade 1/2" CTS - 1" CTS
50460	Georg Fischer	Surpeel Blade 1" IPS - 2" IPS
52883	RITMO America	Pipe Scraper RTC (Blade Screw)
73566	RITMO America	Pipe Scraper RTC (Replacement Blade)
16550	RITMO America	Pipe Scraper RTC 160 (2" IPS - 6" IPS)
52882	RITMO America	Pipe Scraper RTC 315 (3" IPS - 12" IPS)
Call	RITMO America	Pipe Scraper RTC 710 (14" IPS - 28" IPS)
11022	RITMO America	Round Blade (Peels Pipe Outside Diameter)
40780482	RITMO America	Screw for Round Blade (Peels Pipe Outside Diameter)
52891	RITMO America	Screw for Triangle Blade (Squares Pipe End)
73566	RITMO America	Triangle Blade (Squares Pipe End)
45369	RITMO America	Turbo Peeler 1/2" CTS
38593	RITMO America	Turbo Peeler 1/2" IPS
37512	RITMO America	Turbo Peeler 3/4" IPS
38344	RITMO America	Turbo Peeler 1" IPS
38594	RITMO America	Turbo Peeler 1-1/4" IPS
38596	RITMO America	Turbo Peeler 2" IPS

POLYETHYLENE PIPE TOOLS

ITEM ID	MANUFACTURER	PRODUCT DESCRIPTION
23363	MT Deason	Polypeeler, 1" IPS
23361	MT Deason	Polypeeler, 3/4"
48058	Reed	True Peel, 1/2" CTS SDR7 .090" Wall Mandrel
48010	Reed	True Peel, 3/4" IPS DR11 .095" Wall Mandrel
48059	Reed	True Peel, 1" CTS SDR 11.5 .099" Wall Mandrel
49576	Reed	True Peel, 1" IPS DR7 .188" Wall Mandrel
47942	Reed	True Peel, 1" IPS DR11 .120" Wall Mandrel
48060	Reed	True Peel, 1 1/4" IPS DR11 .151" Wall Mandrel
48035	Reed	True Peel, 2" IPS DR11 .216" Wall Mandrel
15163	Reed	Guillotine Cutter, 2"-4"
15165	Reed	Guillotine Cutter, 3"-8" DIPS & IPS
15164	Reed	Replacement Guillotine Cutter Blade 2"-4"
15166	Reed	Replacement Guillotine Cutter Blade 3"-8"
16236	Reed	Plastic Pipe Saw, 18"
48602	Reed	Ratchet Cutter, 2" Poly/PVC
22608	King Innovation	Ratchet Cutter, 1-1/4" Poly/PVC
46796	King Innovation	Ratchet Cutter, 2" Poly/PVC
23026	King Innovation	Replacement Blades, 2" Ratchet Cutter (6 case)
54377	PLCS	Coiled Pipe Trailer
Call	PLCS	PE Pipe Pullers - various sizes available



MT DEASON POLYPEELER

- CNC machined aluminum body for toughness and reliability
- Consistent, controlled, and reliable pipe peeling



REED TRUE PEEL

- Removes .009" - .012" peel thickness
- Spring actuated blade gives a complete peel, even on out-of-round pipe
- Observation window indicates the completion of the peel
- External cutting blade allows for clear observation of the peel removal
- Hardened tool steel cutting blade with two cutting edges for twice the life
- Includes a protective carrying case



KING INNOVATION RATCHET CUTTER

- Stainless steel blade for precision cuts
- Cuts up to 2" (PE) Pipe
- Strong and durable cast aluminum body



REED RATCHET CUTTER

- Hardened steel blades
- Cuts up to 2" (PE) Pipe
- Thin blades move smoothly through pipe.



PLCS PE PIPE PULLER

- Installs in minutes
- Gripper rings maintain connection
- Handles PE pipe with ease




PLCS COILED PIPE TRAILER

- Re-Rounder/Straightener corrects ovality
- Durable Delrin rollers eliminates pipe damage unlike aluminum or steel rollers that can gouge the pipe during dispensing
- Coil control system loads coils from rear of trailer bay
- Coil support: Crossbars twist & lock into position to make a reel that supports the coil
- Solar powered hydraulic lift system
- The coil bay can handle coils up to 54" wide x max. 128" OD x min. 42" ID.
- Quick Release Rear Gate with easy to reach extension handle for easy coil loading.



REED GUILLOTINE CUTTER

- Squarest cut available, within 1/8" (3 mm) on medium and high density pipe, due to strong frames and unique blade design
- Saves facing cost: no facing needed for electrofusion, less needed for butt-fusion
- HPC12 cuts PE up to 12" (350 mm)



REED PLASTIC PIPE SAW

- Ergonomic handle
- 11 teeth per inch (more than average)



RITMO DELTA 160M

- Working range of 1" - 5" IPS
- Lightweight machine body
- Heating plate with digital electronic temperature control
- Facer/heating plate support
- Only available through EGW in AR, CO, IL, KS, KY, LA, MO, MS, NM, OK, TN, & TX



RITMO DELTA 200M

- Working range of 2" - 6" IPS
- Extractable electric milling cutter provided with a safety micro-switch
- Digital Dragon high precision electronic thermoregulator with digital display and regulating buttons
- Only available through EGW in AR, CO, IL, KS, KY, LA, MO, MS, NM, OK, TN, & TX



RITMO DELTA 250

- Working range of 2" IPS-8" DIPS
- Machine body group complete w/trolley, hydraulic gear case
- EASY LIFE control panel, face, bag & keys
- Heating plate, TP delta 250 TE w/support
- Lateral rollers
- Only available through EGW in AR, CO, IL, KS, KY, LA, MO, MS, NM, OK, TN, & TX



RITMO DELTA 355 ALL TERRAIN

- Working range of 4" IPS-14" DIPS
- Machine body and control panel can be easily removed for in-ditch use
- EASY LIFE control panel, face, bag & keys
- Heating plate, TP Delta 355 TE w/support
- Lateral rollers
- Only available through EGW in AR, CO, IL, KS, KY, LA, MO, MS, NM, OK, TN, & TX

BUTT FUSION MACHINES & ACCESSORIES

ITEM ID	MANUFACTURER	PRODUCT DESCRIPTION
44989	RITMO America	Delta 160M (1" CTS to 4" DIPS)
Call	RITMO America	Delta 160M (1" IPS) Insert Set
44990	RITMO America	Delta 160M (1 1/4" IPS) Insert Set
44991	RITMO America	Delta 160M (1 1/2" IPS) Insert Set
44993	RITMO America	Delta 160M (2" IPS) Insert Set
44996	RITMO America	Delta 160M (4" IPS) Insert Set
52871	RITMO America	Delta 160M Facer Blade (Qty 1 Per Side)
52872	RITMO America	Delta 160M Facer Blade Screw (Qty 3 Per Blade)
50801	RITMO America	Delta 200M (2" IPS to 6" DIPS)
50802	RITMO America	Delta 200M (2" IPS) Insert Set
50803	RITMO America	Delta 200M (4" IPS) Insert Set
50804	RITMO America	Delta 200M (6" IPS) Insert Set
52873	RITMO America	Delta 200M Facer Blade (Qty 2 Per Side)
52874	RITMO America	Delta 200M Facer Blade Screw (Qty 2 Per Blade)
55082	RITMO America	Delta 250 Trailer w/Easy Life Control (2" IPS To 8" DIPS)
52879	RITMO America	Delta 250 Trailer w/Manual Control (2" IPS To 8" DIPS)
45531	RITMO America	Delta 250 (2" IPS) Insert Set
45533	RITMO America	Delta 250 (4" IPS) Insert Set
45535	RITMO America	Delta 250 (6" IPS) Insert Set
Call	RITMO America	Delta 250 (8" IPS) Insert Set
53067	RITMO America	Delta 250 Facer Blade (Qty 1 Per Side)
53066	RITMO America	Delta 250 Facer Blade Screw (Qty 3 Per Blade)
Call	RITMO America	Delta 355 All Terrain w/Easy Life Control (4" IPS To 14" DIPS)
Call	RITMO America	Delta 355 Trailer w/Easy Life Control (4" IPS To 14" DIPS)
45533	RITMO America	Delta 355 (4" IPS) Insert Set
45535	RITMO America	Delta 355 (6" IPS) Insert Set
45536	RITMO America	Delta 355 (8" IPS) Insert Set
Call	RITMO America	Delta 355 (12" IPS) Insert Set
51474	RITMO America	Delta 355 (Master) Insert Set
Call	RITMO America	Delta 355 Facer Blade (Qty 1 Per Side)
Call	RITMO America	Delta 355 Facer Blade Screw (Qty 3 Per Blade)

ELECTROFUSION MACHINES & ACCESSORIES

ITEM ID	MANUFACTURER	PRODUCT DESCRIPTION
36448	Georg Fischer	MSA-340 Electrofusion Machine
73875	Georg Fischer	EF Tip Sets MSA 340 4.7MM
45466	RITMO America	Elektra Light (1/2" IPS - 6" IPS)
52483	RITMO America	Elektra S (1/2" IPS - 12" IPS) w/GPS
Call	RITMO America	Elektra M (1/2" IPS - 20" IPS)
Call	RITMO America	Elektra XL (1/2" IPS - 63" IPS)
49541	RITMO America	Elektra 500 (1/2" IPS - 20" IPS)
51801	RITMO America	Elektra 500 (1/2" IPS - 20" IPS) W/GPS
Call	RITMO America	Elektra 1000 (1/2" IPS - 63" IPS)
Call	RITMO America	Elektra 1000 (1/2" IPS - 63" IPS) W/GPS
46605	Century	125v, 30amp, Electrofusion Processor Extension Cord



GFCP MSA-340

- Made of high quality components
- Prevention of electrical damage
- Water resistant design to IP54 standards
- Full traceability including GPS
- Intuitive user interface
- Clear and explicit error messages
- USB interface for fusion record downloading and firmware updates
- New software is able to decipher ASTM barcodes and fusion data can be saved into PDF or CSV formats
- 3 operating modes: Auto-ID, Barcode and Manual
- Selectable menu language
- Customized traceability options to fit your work flow
- Guardian™ Auto-lock rental function

RITMO ELEKTRA LIGHT

- Working range of 1/2" - 6" IPS
- Light weight, and extremely easy to carry around
- Machine body
- Built in memory with 325 fusion cycles
- Transferable data
- Only available through EGW in AR, CO, IL, KS, KY, LA, MO, MS, NM, OK, TN, & TX



RITMO ELEKTRA S, M, & XL

- Elektra S: Working range of 1/2" - 12" IPS
- Elektra M: Working range of 1/2" - 20" IPS
- Elektra L: Working range of 1/2" - 63" IPS
- High resistance technopolymer shell
- "Defender" protection system against dust and rain
- Lifting handle and cable wrapping
- In-built memory of 4000 welding report
- Transferable data
- Only available through EGW in AR, CO, IL, KS, KY, LA, MO, MS, NM, OK, TN, & TX



RITMO ELEKTRA 500 & 1000

- Elektra 500: Working range of 1/2" - 20" IPS
- Elektra 1000: Working range of 1/2" - 63" IPS
- Machine body surrounded by a tubular steel frame
- Large graphic display
- Intuitive control panel
- Universal connectors
- Laser scanner
- In-built memory of 4000 welding report
- Only available through EGW in AR, CO, IL, KS, KY, LA, MO, MS, NM, OK, TN, & TX

CENTURY EF PROCESSOR EXTENSION CORD

- 50' Long
- 8 Gauge Copper Wire
- 3 Conductors
- Black SOOW Jacket (Oil & Weather Resistant for Extra Hard Service)
- 125v, 30amp, NEMA Twist Lock L5-30P Male Plug & L5-30C Female Connector






RITMO R 63 SOCKET FUSION HEATER PLATES

- Working range up to 2" IPS
- Manual socket fusion tool for pipes/fittings
- New electronic temperature control TFE
- Self testing acoustic alarm
- Safer, more precise and reliable weld



RITMO R 63 THERMAL BAG



RITMO SOCKETS & SPIGOTS



RITMO CHAMFERING TOOLS

- Designed to make a bevel on the outside edge of a pipe end for socket fusion/ electrofusion
- Allows heater faces and socket fittings to be easily pushed onto the pipe end

SOCKET FUSION MACHINES & ACCESSORIES

ITEM ID	MANUFACTURER	PRODUCT DESCRIPTION
48206	RITMO America	Socket Fusion Heater Plates (R 63 TE) Up To 2" IPS
48807	RITMO America	Thermal Bag (R 63 TE) Up To 2" IPS
52900	RITMO America	Steel Case (R 63 TE) Up To 2" IPS (Orange)
49763	RITMO America	Socket And Spigot (1/2" CTS)
52895	RITMO America	Socket And Spigot (3/4" CTS)
52893	RITMO America	Socket And Spigot (1" CTS)
52892	RITMO America	Socket And Spigot (1-1/4" CTS)
49304	RITMO America	Socket And Spigot (1/2" IPS)
48808	RITMO America	Socket And Spigot (3/4" IPS)
48809	RITMO America	Socket And Spigot (1" IPS)
48810	RITMO America	Socket And Spigot (1 1/4" IPS)
51808	RITMO America	Socket And Spigot (1 1/2" IPS)
48811	RITMO America	Socket And Spigot (2" IPS)
52897	RITMO America	Socket And Spigot Screw
22497	RITMO America	Socket/Electro Fusion Chamfering Tool (1/2" CTS)
48776	RITMO America	Socket/Electro Fusion Chamfering Tool (1" CTS)
11456	RITMO America	Socket/Electro Fusion Chamfering Tool (1/2" IPS)
10998	RITMO America	Socket/Electro Fusion Chamfering Tool (3/4" IPS)
10999	RITMO America	Socket/Electro Fusion Chamfering Tool (1" IPS)
42192	RITMO America	Socket/Electro Fusion Chamfering Tool (1 1/4" IPS)
11001	RITMO America	Socket/Electro Fusion Chamfering Tool (1 1/2" IPS)
11002	RITMO America	Socket/Electro Fusion Chamfering Tool (2" IPS)
51725	RITMO America	Socket Fusion Coupling Holder (2" IPS)
11437	RITMO America	Socket Fusion Cold Ring (1/2" CTS)
11441	RITMO America	Socket Fusion Cold Ring (1" CTS)
11438	RITMO America	Socket Fusion Cold Ring (1/2" IPS)
11440	RITMO America	Socket Fusion Cold Ring (3/4" IPS)
17162	RITMO America	Socket Fusion Cold Ring (1" IPS)
17163	RITMO America	Socket Fusion Cold Ring (1 1/4" IPS)
50377	RITMO America	Socket Fusion Cold Ring (1 1/2" IPS)
17157	RITMO America	Socket Fusion Cold Ring (2" IPS)



RITMO COUPLING HOLDER

- Socket Fitting Holder for 2"



RITMO COLD RINGS

- Clamp, hold and round pipe for socket fusion

STEEL PIPE TOOLS

ITEM ID	MANUFACTURER	PRODUCT DESCRIPTION
18262	Mebco	X-pander plug Type C 1/2" CTS
18260	Mebco	X-pander plug Type C 1/2" IPS
18264	Mebco	X-pander plug Type C 3/4" IPS
18257	Mebco	X-pander plug Type C 1" IPS
18259	Mebco	X-pander plug Type C 1-1/4" IPS
28260	Mebco	X-pander plug Type C 1-1/2" IPS
18261	Mebco	X-pander plug Type C 2" IPS
18265	Mebco	X-pander plug Wrench, 7"
18266	Mebco	X-pander plug Wrench, 12"
10003	Reed	Pipe Cutter 2", Steel
12350	Reed	Pipe Cutter 2", Steel w/Guides
14891	Reed	Pipe Cutter, Steel, Hinged, 2"-4"
50756	Reed	Pipe Cutter, Heavy Steel, Hinged, 4"-6"
14902	Reed	Pipe Cutter, Heavy Steel, Hinged, 6"-8"
15153	Reed	Cutter Wheels, Cast Iron (2 pk)
12493	Reed	Cutter Wheels, Steel & Stainless Steel, (2 pk)
10026	Reed	Pipe Reamer 2"
16298	Reed	R12 NPT 1/2"-2" Threader Set with Box
52203	PLCS	Valve Changer Tool Kit, 1/2"-2"
49460	PLCS	Rubber, 1/2"
49417	PLCS	Rubber, 3/4"
48421	PLCS	Rubber, 1"
49711	PLCS	Rubber, 1-1/4"
54422	PLCS	Rubber, 1-1/2"
54423	PLCS	Rubber, 2"
50710	PLCS	Inner Shaft, 1/2"-3/4"
48420	PLCS	Inner Shaft, 1"
50080	PLCS	Outer Shaft, 1/2"-3/4"
50079	PLCS	Outer Shaft, 1"
50712	PLCS	Outer Shaft, 1-1/4"
52838	PLCS	End Plate, 1/2"
50708	PLCS	End Plate, 3/4"
50475	PLCS	End Plate, 1"
50709	PLCS	End Plate, 1-1/4"



MEBCO X-PANDER PLUGS

- Cork is made of SBR rubber
- All steel parts are zinc-plated
- Plugs are usable with all wrench sizes



REED PIPE REAMER

- Self-feeding, spiral reamer starts easily into pipe
- Dual pawls for extra tooth engagement
- Durable, hardened tool steel cone on pipe reamer for maximum cutting life
- Manual tool designed for pipe reaming efficiency



REED HINGED CUTTER

- Needs only 4" (102 mm) of clearance around pipe
- Efficient handle swing of only 90° to 110°
- Opens with hinge to place cutter around the pipe
- Can be used anywhere - in the ditch, underwater, overhead, in racks of pipe!



REED 2" PIPE CUTTER

- Short handle for cutting in close quarters
- Wide rollers work to minimize burrs by smoothing the cut area
- Rollers are designed to aid in tracking
- Cut steel, stainless steel, galvanized or cast iron pipe with designated REED cutter wheel



REED 2" PIPE CUTTER WITH GUIDES

- Spring-tensioned guide bars provide square alignment for cutters
- Guide makes the cutter more stable on pipe
- Cutters work on steel, stainless steel, galvanized steel or cast iron pipe, depending on the installed cutter wheels



PLCS METER VALVE CHANGER

- Enhances public and worker safety (No blowing gas)
- Fast and easy valve change out, customers can be back online in little time
- Saves the cost of entire service renewal
- No need to excavate for a simple leaking meter valve

STEEL PIPE TOOLS

ITEM ID	MANUFACTURER	PRODUCT DESCRIPTION
22161	Footage	C165 Squeeze Tool, 3/4"-2", Steel Risers, Hydraulic
22162	Footage	C170 Squeeze Tool, 1/2"-2", Steel, Hydraulic
24999	Footage	C36S Squeeze Tool, 2"-6", Steel, Hydraulic
25007	Footage	C812S Squeeze Tool, 8"-12", Steel, Hydraulic



FOOTAGE C165

- For 3/4" - 2" risers
- Carrying handle
- Optional wheel kit



FOOTAGE C170

- For 1/2" - 2" diameter steel pipe



FOOTAGE C36S

- For 3" - 6" diameter steel pipe



FOOTAGE C812S

- For 8" - 12" diameter steel pipe

EGW COMPLIANCE SERVICES

3RD PARTY PROVIDED SERVICES



EGW Utility Solutions is a full-service, third-party provider of compliance solutions for clients in the Natural Gas industry. Our mobile workforce can meet these needs on the customer's site or at our facility in Carrollton, Texas.

- OQ Training and Test Proctoring
- OQ Performance (Field) Evaluations
- Company Plan/Program Reviews
- Industrial Training Services (ITS) Approved Provider
- Energy Worldnet (EWN) Approved Provider
- Structural and Pipeline Welding Training and Certification
- PE Fusion Training
- PE Fusion Certifications
- PE Destructive Testing
- CSNRI TridentSeal User Certification
- Bilingual Trainers/Evaluators

www.egwutilitysolutions.com

TAPPING & PLUGGING ACCESSORIES

ITEM ID	MANUFACTURER	PRODUCT DESCRIPTION
T-101 Holesaw Holder Pilot Drills		
11851	TD Williamson	T-101 Holesaw Holder Pilot Drills 2" & 3" Size On Size, Pilot
45142	TD Williamson	T-101 Holesaw Holder Pilot Drills 2" Other Than SOS
48908	TD Williamson	T-101 Holesaw Holder Pilot Drills 4" Size On Size
11852	TD Williamson	T-101 Holesaw Holder Pilot Drills 4" Other Than SOS
Holesaws for T-101 Holder Pilot		
50400	TD Williamson	1-1/4" Holesaw for T-101 Holder Pilot, (1-15/16" Actual)
11848	TD Williamson	2" Holesaw for T-101 Holder Pilot,, (1-7/8" Actual)
50401	TD Williamson	3" Holesaw for T-101 Holder Pilot,, (2-7/8" Actual)
50402	TD Williamson	4" Holesaw for T-101 Holder Pilot,, (3-7/8" Actual)
T-101 Spare U-Wires for 1-1/4-4" Holder Pilot Drills		
11813	TD Williamson	T-101 Spare U-Wires For 1-1/4-4" Holder Pilot Drills
Shortstopp II Completion Plug Holders		
40760	TD Williamson	Shortstopp II 2" Solid Completion Plug Holder, (Square Drive)
11881	TD Williamson	Shortstopp II 3" Completion plug Holder, Spring Loaded
Sealing Elements, Size on Size (Cups)		
30063	TD Williamson	1-1/4" Sealing Elements, Size on Size (Cups)
30065	TD Williamson	2" Sealing Elements, Size on Size (Cups)
11876	TD Williamson	2" Thinwall Sealing Elements, Size on Size (Cups)
30066	TD Williamson	3" Sealing Elements, Size on Size (Cups)
11277	TD Williamson	3" Thinwall Sealing Elements, Size on Size (Cups)
23235	TD Williamson	4" Sealing Elements, Size on Size (Cups)
23234	TD Williamson	4" Thinwall Sealing Elements, Size on Size (Cups)
11272	TD Williamson	6" Sealing Elements, Size on Size (Cups)
11279	TD Williamson	6" Thinwall Sealing Elements, Size on Size (Cups)
11273	TD Williamson	8" Sealing Elements, Size on Size (Cups)
50421	TD Williamson	8" Thinwall Sealing Elements, Size on Size (Cups)
Sealing Elements, Reduced Branch (Cups)		
50423	TD Williamson	3 x 4 150# Std Wall Sealing Elements, Reduced Branch (Cups)
50424	TD Williamson	4 x 6 150# Std Wall Sealing Elements, Reduced Branch (Cups)
Chip Sweeps		
50627	TD Williamson	1-1/4" Chip Sweep
50626	TD Williamson	1-1/2" Chip Sweep
50628	TD Williamson	2" Chip Sweep
22119	TD Williamson	3" Chip Sweep
48359	TD Williamson	4" Chip Sweep
Shortstopp Weld Fitting		
11834	TD Williamson	2" Shortstopp Weld Fitting
11837	TD Williamson	3" Shortstopp Weld Fitting
11846	TD Williamson	4" Shortstopp Weld Fitting
Shortstopp 3-way tee		
11833	TD Williamson	2" Shortstopp 3-way tee
11836	TD Williamson	3" Shortstopp 3-way tee
11845	TD Williamson	4" Shortstopp 3-way tee



TD WILLIAMSON T-101 HOLESAW HOLDER



TD WILLIAMSON T-101 HOLESAWS



TD WILLIAMSON T-101 U-WIRES



TD WILLIAMSON SHORTSTOPP 3-WAY TEES



TD WILLIAMSON SHORTSTOPP WELD FITTINGS



TD WILLIAMSON SEALING CUPS



LEAK DETECTION-SURVEY EQUIPMENT

ITEM ID	MANUFACTURER	PRODUCT DESCRIPTION
22601	Sensit	Gold G2 EX/TC (LEL, % Vol) Includes Instruction Manual, Extra Sensor Cap, Wrist Strap, 3 "C" Batteries, 2pc Bar Hole Probe, Wrench (T10)
22749	Sensit	Gold G2 TC - LEL/%Vol/CO
48540	Sensit	Gold G2 TC - LEL/%Vol/H2S
24221	Sensit	Gold G2 TC - LEL/%Vol/CO/O2
22835	Sensit	Gold G2 TC - LEL/%Vol/CO/O2/H2S
16032	Sensit	Sensor EX (LEL) (2611 Silver 4 Prong)
16166	Sensit	Sensor Cap w/ "O" Rings (Single)
16167	Sensit	Luer Connector
13329	Sensit	Extension Adapter
24076	Sensit	Hard Carrying Case
13260	Sensit	32" Heavy Duty Fiberglass Bar Hole Probe w/Hose
13380	Sensit	Purge Probe (Brass) w/Hose
16168	Sensit	Hose Assembly (24")
42347	Sensit	Plunger Bar 42"
24515	Sensit	Hot Air Probe (Flue Gas)
45231	Sensit	Telescopic Survey Probe
13376	Sensit	Confined Space Probe (10") w/Hose
24738	Sensit	Dirt & Water Filter Assembly
13216	Sensit	Replacement Cartridge for Dirt & Water Filter
13328	Sensit	Hydrocarbon Filter Kit
13329	Sensit	Adapter for Hydrocarbon Filter
13271	Sensit	Inline "Mini" Hydrocarbon Filter Kit Calibration Gases

SENSIT GOLD G2 EX/TC CGI


- Inherently Safe Design (Certified)
- Internal Pump - Fast Sampling
- Audible "Tick" Control - Fast Leak Location
- Lowest Cost, Long Life Sensors
- LED Warning Lights
- Bright Graphic Display
- Loud Audible Alarm
- Battery Strength Indicator
- Internal Memory
- Exceptional Water Protection
- Only available through EGW in AR, LA, OK. & TX

SENSIT GOLD G2 ACCESSORIES

Sensor EX (LEL) (2611 Silver 4 Prong)	Sensor Cap Replacement w/"O" Rings	Luer Connector	Extension Adapter	Hard Case	Hot Air Probe (Flue Gas)
32" Heavy Duty Fiberglass Bar Hole Probe w/Hose	Brass Purge Probe w/Hose	24" Hose Assembly	42" Plunger Bar	Telescopic Survey Probe	
10" Confined Space Probe w/Hose	Dirt & Water Filter Assembly	Dirt & Water Filter Replacement Cartridge	Hydrocarbon Filter Kit	Hydrocarbon Filter Adapter	Inline "Mini" Hydrocarbon Filter Kit

DAMAGE PREVENTION EQUIPMENT

ITEM ID	MANUFACTURER	PRODUCT DESCRIPTION
31472	Jameson	Service Line Tracer, 300'
45095	Jameson	Gas Service Line Tracer Kit 1/8 X 300 w/Flex Tip
34031	Jameson	Gas Service Line Tracer Kit 3/16 X 300 w/Tapered Bullet Tip
24532	Jameson	Service Line Gas Tracer Bullet Repair Kit
24128	Jameson	Stuffing Box for Service Line Tracer
45078	Jameson	Flex Tip Repair Kit for 1/8 Gas Service Tracer
45096	Jameson	O-Rings For 1/8 Gas Service Line Tracer
22639	Jameson	O-Rings For 3/16 Gas Service Line Tracer
24235	Jameson	Cap Screws for Service Tracers 3 Pk
22640	Jameson	Lubricated Wipes for Gas Tracer
38101	Jameson	Lubricated Wipes For Gas Tracers (Case of 12 Canisters)
22578	Jameson	Main Tracer Bullet Repair Kit
10373	Rust-Oleum	High Visibility Yellow Marking Paint 17oz Solvent Based
10380	Rust-Oleum	White Marking Paint 17oz Water Based
10680	Rust-Oleum	Pink Marking Paint 17oz Water Based
12856	PRESCO	Marking Flags
36145	Rhino Marking	Tri-View Markers & Decals



JAMESON SERVICE LINE TRACER

- Stuffing box attaches to any riser
- No blow-by while feeding rod into live line up to 125 PSI
- Small bullet tip guides rod from riser to service transition
- Use with transmitter & receiver to trace gas line from above ground
- Available with 1/8" rod to get past 90° elbow
- Dimensions: 22" X 17" X 7"



Service Line Tracer Bullet Tip



Service Line Tracer Flexible Tip



Service Line Tracer Lubricating Wipes

All AWPA Colors Available, both Water & Solvent Based



MARKING FLAGS

- 9 Different Colors
- Custom Printed Graphics
- Durable Materials



RUSTOLEUM MARKING PAINT

- Marks up to 250% more linear feet than other brands; precision tip—virtually no overspray
- Resists early fading and chalking
- Adheres to hot surfaces; can be sprayed in the cold (to 25°F)
- Dries in under 5 minutes



RHINO MARKING TRIVIEW POST

- Triangular post with colored cap
- 360-degree visibility
- Made with proprietary blend of thermoplastics
- Internal Flex PLUS™ Rod
- Patented TriGrip Anchor™ for locking post into ground
- Performs in temperatures ranging from -40 to +150°

DAMAGE PREVENTION EQUIPMENT

ITEM ID	MANUFACTURER	PRODUCT DESCRIPTION
24468	Rycom	Pathfinder PLS Line Locator
48628	Rycom	SnapTrack, 10W
13097	Rycom	SnapTrack, 3W Alkaline Battery
42826	Rycom	The Stick
13151	Rycom	8891 Marker Ball Locator
52841	Rycom	Clampmitter Inductive Coupling Clamp 6.5"
52840	Rycom	Clampmitter Inductive Coupling Clamp 4.2"
73529	EGW	Locator Leads



RYCOM PATHFINDER PLS

- Multiple active frequency options
- Passive frequencies for locates of "live" utilities without the use of a transmitter
- Powerful 5 watt or 10 watt tracing signal
- Quadruple antennae array allows for push button depth, line direction, line orientation and current measurement
- Only available through EGW in CO, IL, KY, MS, NE, NM, OK, TN, TX, UT, WI, & WY




RYCOM SNAPTRACK

- Passive frequencies for locates of "live" utilities without the use of a transmitter
- Powerful 3 watt or 10 watt tracing signal
- Quadruple antennae array allows for push button depth, line direction, line orientation and current measurement
- Only available through EGW in CO, IL, KY, MS, NE, NM, OK, TN, TX, UT, WI, & WY

RYCOM THE STICK

- Pathfinder SAF Technology™
- Metal detection & cable locating
- Compact & lightweight
- Weather resistant carbon fiber housing
- LSC screen
- Over 14 pre-programmed locate frequencies
- 4 year warranty with registration
- Only available through EGW in CO, IL, KY, MS, NE, NM, OK, TN, TX, UT, WI, & WY



RYCOM 8891 MARKER BALL LOCATOR

- 8 frequencies
- Multiple sensitivity settings
- Scan feature highlights markers in vicinity
- Digital marker depth
- Backlit display
- Compact design folds for easy storage
- Weather proof membrane buttons
- Only available through EGW in CO, IL, KY, MS, NE, NM, OK, TN, TX, UT, WI, & WY



RYCOM CLAMPITTER INDUCTIVE COUPLING SYSTEM

- Eliminates the risks of hauling heavy transmitter boxes down aging manhole ladders
- Removes the hazards of tripping/falling over long cords in unstable job sites
- Lends itself as a back-up transmitter when your line transmitter's battery goes down in the field
- Allows the user to complete more than one locate at once
- Removing the cord permits the user to easily lock the unit inside manholes and switchgears
- Eliminating theft risks and the need for more than one user to stand watch
- Recharges with ease using a standard USB supply
- Only available through EGW in CO, IL, KY, MS, NE, NM, OK, TN, TX, UT, WI, & WY



DAMAGE PREVENTION EQUIPMENT

ITEM ID	MANUFACTURER	PRODUCT DESCRIPTION
58117	Vivax-Metrotech	vLoc3 RTK-Pro
48311	Vivax-Metrotech	vLoc3-Pro
111711	Vivax-Metrotech	vScan Locator
17652	Fisher Labs	TW6 Fisher Split Box
73529	EGW	Locator Leads



VIVAX-METROTECH vLOC3 RTK-PRO

- Fully-integrated RTK GNSS
- One-hand locating and mapping
- Cloud-based data management
- Survey-grade GNSS Accuracy
- Simplistic locating modes
- Reduces multiple field equipment
- Only available through EGW in AR, KS, LA, MO, & MS



VIVAX-METROTECH vLOC3-PRO

- Color-coded EM distortion warnings
- Offset vector locate mode
- Optional receiver/transmitter link
- Cloud-based data warehousing
- Internal data logging
- Optional Bluetooth connectivity
- Only available through EGW in AR, KS, LA, MO, & MS




EGW LOCATOR LEADS

- 18GA wire w/6' overall length
- Double heat shrunk soldered connections
- Heavy-duty Mueller clips w/boots
- Offered in XLR 3 pin and 1/4" phone designs
- (90 degree standard)*

VIVAX-METROTECH vSCAN

- Power and Radio modes (for passive locating)
- 33kHz & 131kHz frequencies (for active locating)
- 512Hz, 640Hz & 33kHz frequencies (for sonde locating)
- Vibration motor in handle provides user feedback during alerts & warnings
- Self-test and calibration verification (confirms 100% locate functionality)
- Depth & current measurement (configurable)
- Compass (line direction indicator)
- Rotary control for sensitivity
- Paddle control for mode and navigation
- Data logging and data management software
- Configuration utility - personalize your vScan



FISCHER LABS TW6 SPLIT BOX

- The TW-6 Pipe & Cable locator finds underground pipes, cables, manhole covers, vaults, valve boxes and other metallic objects
- Affordable, tough and simple to use
- The industry standard
- Unlike other units that use a separate transmitter and receiver, the TW-6, when mounted on the handle, can conduct "blind" searches of an area to locate an underground pipe or cable where the starting point is unknown
- Noise cancelling circuitry eliminates power line interference



■ PALMER CHART BOX

- All internal components are corrosion resistant
- Each recorder may contain up to three (3) felt tip pens
- Micro adjustment feature simplifies calibration
- Palmer PC-11 multi-speed battery-operated chart drive is standard
- Electric (115 or 220V and 60 or 50 Hertz), or Spring Wound optional
- Case is made of heavy aluminum, die-cast and heat-treated
- Weathertight glass window (instrument glass, shatter-proof safety glass, or plexiglass) or solid front doors with no window.
- Pressure Recorders have 1/2" diameter air vent holes in case

■ INSTRUMENTS & GAUGES

ITEM ID	MANUFACTURER	PRODUCT DESCRIPTION
39399	Palmer Wahl	Chart Box
52876	Palmer Wahl	DHS125XEL Hand Held Infrared Thermometer
52837	Palmer Wahl	Articulated Surface Probe (Pyrometer for DHS115XEL)
111847	Graphic Controls	24 Hr Charts 2 lb
39401	Graphic Controls	Chart Recorder Pens 5-Pack
73259	EGW	Chart Box Hose, 10'
73256	EGW	Fittings
11492	Sperry Instruments	Infrared Thermometer IRT200
71-370002	PLCS	Pipe Wall Damage Indicator
17713	UEI	UTL33T Digital Multimeter
17952	Klein Tools	Non-Contact Voltage Tester Pen



■ SPERRY INSTRUMENTS IRT200

- Checks temperatures from -26 deg F to 716 deg F (-32 deg C to 380 deg C)
- Back-lit display simultaneously displays the present temp measurement along with the max temp reading while scanning an object's surface
- Auto power-off saves battery life and low-battery indicator helps eliminate inaccurate readings
- Extended Battery Life of 14-18 hours
- Displays the max temperature as you scan an object's surface



■ PALMER WAHL INFRARED THERMOMETER

- Display thermocouple measurements on screen
- Max / Min / Average / ΔT calculations
- Hi & Low alarms - screen changes color
- Ten points of memory



■ PLCS PIPE WALL DAMAGE INDICATOR

- Simple for all field personnel
- Digital readout is accurate to 0.0008" or less
- Instant zeroing provides a direct readout of the surface damage
- Ensures PE meets safe pipe laying standards prior to burial
- Especially valuable in lengthy coil pipe installations
- Toggle readout from inches to metric
- Works on steel pipe and flat surfaces



■ UEI UTL33T DIGITAL MULTIMETER

- AC Voltage 200V/600V
- DC Voltage 200mV/2V/20V/200V/600V
- DC current 200µA/2mA/20mA/200mA/10A
- Resistance 200Ω/2kΩ/20kΩ/200kΩ/200MΩ
- Audible continuity
- Data hold
- Impact resistant boot with a tilt stand
- Compact pocket-design fits easily in tight spaces



■ KLEIN TOOLS VOLTAGE TESTER PEN

- Voltage Tester provides non-contact detection of voltage in cables, cords, circuit breakers, lighting fixtures, switches, non tamper-resistant outlets and wires
- Volt Pen with high intensity, bright green LED indicates the tester is powered on
- When voltage is detected, a high intensity, bright red LED illuminates and an audible tone will sound
- 50 to 1000 VAC power operating range allows broad application
- Auto power-off feature conserves and extends battery life
- CAT IV 1000V safety rating
- Lightweight compact design with a convenient clip to fit securely in your pocket
- 6.6-Foot (2 m) drop protection

INSTRUMENTS & GAUGES

ITEM ID	MANUFACTURER	PRODUCT DESCRIPTION
51745	Vaetrix	ETG Gauge 300 PSI, .25% Accuracy, Digital, w/Temp
51892	Vaetrix	ETG Gauge 1000 PSI, .1% Accuracy, Digital, Data Logging
51893	Vaetrix	ETG Gauge 3000 PSI, .1% Accuracy, Digital, Data Logging
54442	Vaetrix	ETG Test Gauge 300 PSI, Intrinsically Safe, .1% Accuracy, Data Logging, Ambient Temp
51149	Vaetrix	ETG Gauge 1000 PSI, .1% Accy, Digital, Data Logging, w/Bluetooth
51239	Vaetrix	ETG Gauge 300 PSI, .05% Accy, Digital, Data Logging, w/Bluetooth
52284	Vaetrix	ETG Calibration Gauge 1000 PSI, .05% Accuracy, Digital, Data Logging, w/Bluetooth and Ambient Temp
52299	Vaetrix	ETG Calibration Gauge 1000 PSI, .05% Accuracy, Digital, Data Logging, w/Bluetooth
54441	Vaetrix	ETG Process Gauge 300 PSI, Intrinsically Safe, .25% Accuracy, Data Logging, Ambient Temp
54443	Vaetrix	ETG Calibration Gauge 300 PSI, Intrinsically Safe, .05% Accuracy, Data Logging, Ambient Temp
111850	OCI Instruments	3034L200L 0-200 PSI Gauges
50175	OCI Instruments	C034L35/20 0-20 oz Gauges
52648	OCI Instruments	Gauge 1000 PSI Rear Mount for McElroy Sidewinder
19629	GAL Gage Co	Thorpe Thickness Gauge
18066	Denso	Wet Film Thickness Gauge
54408	PLCS	Bead Thickness Gauge



VAETRIX ETG DIGITAL PRESSURE GAUGE

- 0.05%, 0.1%, or 0.25% full scale accuracy over operating temperature
- Dual sensor technology to measure absolute and gauge pressure with one device
- High and low alarm settings with icon and red backlight indication
- Dedicated interface for leak test and min/max function
- Bluetooth option with Apps for Android and Apple (Free)
- Tri-color graphics display with selectable backlight color for optimum viewing
- Intrinsically Safe and Ambient Temperature Options



THORPE THICKNESS GAUGE

- Measures the thickness of pipe or plate 0" to 5/8"
- Easy to use, has only one moving part and registers accurately to within ±0.005"
- Scale is graduated in both fractional and decimal inches
- Reverse side of the Gage provides a table which lists weights per foot, wall thicknesses and schedule numbers of 67 different nominal sizes of pipe



OCI INSTRUMENTS 3034L 200L GAUGE

- Liquid-filled industrial pressure gauge for use where vibration or pulsation would cause excessive wear to a dry gauge, or effect reading
- 304 stainless steel case and ring
- For neutral media such as air, water, oil, steam, and other liquids and gases compatible with brass and bronze
- 0-200 PSI
- Extruded brass socket
- 1/4" NPT bottom mount connection
- 2.5" Face



OCI INSTRUMENTS C034L 35/20 GAUGE

- Liquid-filled industrial pressure gauge for use where vibration or pulsation would cause excessive wear to a dry gauge, or effect readings
- 304 stainless steel case and ring for durability,
- Injection-molded acrylic lens
- 2.5" white ABS dial with black anodized pointer for fast, easy readings.
- For use with neutral media such as air, water, oil, steam, and other liquids and gases compatible with brass and bronze
- 0-3000 PSI
- Extruded brass socket
- 1/4" NPT bottom mount connection
- 2.5" Face



PLCS BEAD THICKNESS GAUGE

- Gauge measurements based on ASTM F2620 Standard Practice for Heat Fusion Joining of Polyethylene Pipe and Fittings
- Simple for everyone.
- Fits in your pocket.
- 2"-12" PE pipe sizes.



DENSO WET FILM THICKNESS GAUGE

- 25-2000 Micron Scale
- 1-80 Mil Scale
- Size: 2-1/4" x 3-1/4" x .034"
- Accuracy plus or minus 0.2 Mills Average (Range 1-80 Mills) .



LIFT VIZ-PRO1 VEST

- 5 point breakaway velcro on shoulders, sides and front
- Available in M, L, XL, XXL, XXXL, XXXXL
- Polyester air mesh maximizes airflow
- 2" width reflective tape
- Provides ANSI/ISEA class 2 certification
- Left lapel pen/pocket combo
- Comes in Hi-Viz Yellow & Orange



LIFT VIZ-PRO2 VEST

- Polyester air mesh maximizes airflow
- Available in sizes M, L, XL, XXL, XXXL, XXXXL
- 2" width reflective tape
- Provides ANSI/ISEA class 2 certification
- Left lapel pen/pocket combo



LIFT HI-VIZ BOMBER JACKET

- Waterproof 100% polyester 300D oxford shell with sealed seams and PU coating
- Available in M, L, XL, XXL, XXXL, XXXXL
- Concealable, removable hood
- 2" width reflective tape
- 100% polyester anti-pillar polar fleece removable lining
- One chest pocket with flap
- Two zip closure slant pockets

PERSONAL PROTECTIVE EQUIPMENT

ITEM ID	MANUFACTURER	PRODUCT DESCRIPTION
18614	Honeywell	Ear plugs, Pack Qty. 200 PR/BX
111875	Black Stallion	Deluxe FR Full-Cover Coveralls M
111837	Black Stallion	Deluxe FR Full-Cover Coveralls L
111838	Black Stallion	Deluxe FR Full-Cover Coveralls XL
111839	Black Stallion	Deluxe FR Full-Cover Coveralls 2XL
111840	Black Stallion	Deluxe FR Full-Cover Coveralls 3XL
111836	Black Stallion	Nomex Hood
54939	Lift Safety	Quest Safety Glasses (Black/Smoke)
54940	Lift Safety	Quest Safety Glasses (Camo/Smoke)
54944	Lift Safety	Tear-Off Safety Glasses (Clear)
54945	Lift Safety	Tear-Off Safety Glasses (Smoke)
54937	Lift Safety	Banshee Safety Glasses (Black/Polarized)
54938	Lift Safety	Banshee Safety Glasses (Matte Black/Polarized)
54946	Lift Safety	Viz-Pro1 Vest - Yellow
54949	Lift Safety	Viz-Pro2 Vest - Yellow
Call	Lift Safety	Hi-Viz Bomber Jacket - Yellow



LIFT QUEST SAFETY GLASSES

- Small to medium fit & coverage
- Optically correct polycarbonate lenses meet ANSI Z87.1 impact ratings
- TR-90 frame construction with soft rubber temple and nose bridge
- Exceeds UV-A / UV-B / UV-C
- Available in black & camo



LIFT TEAR-OFF SAFETY GLASSES

- Super lightweight frame-less design
- Impact protection meets ANSI Z87.1
- Exceeds UV-A / UV-B / UV-C
- Packaged in a Polybag
- Available in clear and smoke



LIFT BANSHEE SAFETY GLASSES

- Medium to medium profile fit
- Polarized lenses
- Optically correct polycarbonate lenses meet ANSI Z87.1 impact ratings
- TR-90 frame construction with soft rubber temple and nose bridge
- Exceeds UV-A / UV-B / UV-C
- Available in black & matte black



BLACK STALLION SAFETY NOMEX HOOD

- 100% Nomex double-layered knitted hood provides extra protection around the face
- Full head and neck coverage with extra wide collar
- Shoulder length collar can be tucked into jacket
- Can be worn under a hard hat or welding helmet as protection against flame and electrical arcs
- Retains FR protection throughout the life of the product



BLACK STALLION FULL-COVER COVERALLS

- Elasticized waistband
- Full action back
- Two-way concealed brass zipper
- Two front, rear, chest and pass-through pockets for extra storage
- Tool pocket on leg

PERSONAL PROTECTIVE EQUIPMENT

ITEM ID	MANUFACTURER	PRODUCT DESCRIPTION
54955	Lift Safety	DAX Carbon Fiber Full Brim Hard Hat, Type 1, Class C - Black
54959	Lift Safety	DAX Fifty50 Carbon Fiber Full Brim HH, Type 1, Class G - Desert Camo
54960	Lift Safety	DAX Fifty50 Carbon Fiber Hard Hat, Type 1, Class G - Red/Black
54958	Lift Safety	DAX Fiber Resin Full Brim Hard Hat, Type 1, Class G - Natural
54953	Lift Safety	Briggs Full Brim Vented Hard Hat, Type 1, Class E - Hi-Viz Yellow
54954	Lift Safety	Briggs Full Brim Vented Hard Hat, Type 1, Class E - White



LIFT DAX CARBON FIBER HARD HAT - BLACK

- A Carbon Fiber reinforced resin shell provides superior structural rigidity.
- Perforated synthetic leather comfort dome with molded EVA foam insert for additional shock absorbing protection to the top of head
- Oversized ratcheting fitment dial to adjust size, easy to grip and use with gloves on
- Meets ANSI Z89.1-2014 requirements for Type 1, Class C.
- Designed to offer outstanding protection in hot and dangerous industries
- Moisture-wicking foam backed microfiber liner reduces sweat build-up
- 6 point suspension system for a secure, comfortable fit
- Triple reinforced crown for superior impact protection



LIFT DAX FIFTY50 HARD HAT - DESERT CAMO

- A Carbon Fiber reinforced resin shell provides superior structural rigidity.
- Perforated synthetic leather comfort dome with molded EVA foam insert for additional shock absorbing protection to the top of head
- Oversized ratcheting fitment dial to adjust size, easy to grip and use with gloves on
- Meets ANSI Z89.1-2014 requirements for Type 1, Class C.
- Designed to offer outstanding protection in hot and dangerous industries
- Moisture-wicking foam backed microfiber liner reduces sweat build-up
- 6 point suspension system for a secure, comfortable fit
- Triple reinforced crown for superior impact protection



LIFT DAX FIFTY50 HARD HAT - RED/BLACK

- Fiber reinforced resin shell for superior impact protection
- Perforated synthetic leather comfort dome with molded EVA foam insert for additional shock absorbing protection to the top of head
- Oversized ratcheting fitment dial to adjust size, easy to grip and use with gloves on
- Meets ANSI Z89.1-2014 REQUIREMENTS FOR TYPE 1 CLASS G
- Moisture-wicking foam backed microfiber liner reduces sweat build-up
- 6 point suspension system for a secure, comfortable fit
- Triple reinforced crown for superior impact protection



LIFT DAX FIBER RESIN HARD HAT

- Fiber reinforced resin shell for superior impact protection
- Perforated synthetic leather comfort dome with molded EVA foam insert for additional shock absorbing protection to the top of head
- Oversized ratcheting fitment dial to adjust size, easy to grip and use with gloves on
- Meets ANSI Z89.1-2014 REQUIREMENTS FOR TYPE 1 CLASS G
- Designed to offer outstanding protection in hot and dangerous industries
- Moisture-wicking foam backed microfiber liner reduces sweat build-up
- 6 point suspension system for a secure, comfortable fit
- Triple reinforced crown for superior impact protection



LIFT BRIGGS HI-VIZ HARD HAT

- Vented Meets ANSI Z89.1-2014 requirements for Type 1 CLASS G & C
- Perforated synthetic leather comfort dome with molded EVA foam insert for additional shock absorbing protection
- Oversized ratcheting fitment dial to adjust size, easy to grip and use with gloves on
- 4-Point Suspension System for impact absorption
- Adjustable chin strap for secure fit and increased protection
- Available in vented or non vented versions
- Supports face shields and ear-muff mounts



LIFT BRIGGS WHITE HARD HAT

- Vented Meets ANSI Z89.1-2014 requirements for Type 1 CLASS G & C
- Perforated synthetic leather comfort dome with molded EVA foam insert for additional shock absorbing protection
- Oversized ratcheting fitment dial to adjust size, easy to grip and use with gloves on
- 4-Point Suspension System for impact absorption
- Adjustable chin strap for secure fit and increased protection
- Available in vented or non vented versions
- Supports face shields and ear-muff mounts



212 PERFORMANCE HIGH-ABRASION TOUCH SCREEN GLOVES

- Perfect combination of comfort, fit, and function
- 5x more durable than standard mechanic glove

PERSONAL PROTECTIVE EQUIPMENT

ITEM ID	MANUFACTURER	PRODUCT DESCRIPTION
11358	212 Performance	Gloves, High Abrasion, Touch Screen, Large
11365	212 Performance	Gloves, High Abrasion, Touch Screen, XL
11415	212 Performance	Gloves, Impact/Cut Resistant 5, Super High Vis, Large
11420	212 Performance	Gloves, Impact/Cut Resistant 5, Super High Vis, XL
11366	212 Performance	Gloves, Cut Resistant 5, Impact, Leather Driver, Large
11413	212 Performance	Gloves, Cut Resistant 5, Impact, Leather Driver, XL
11429	212 Performance	Gloves, Leather Driver, Cow Hide, Large
11430	212 Performance	Gloves, Leather Driver, Cow Hide, XL
51867	212 Performance	Gloves, Fire Resistant, Cut 2, Leather, Large
51868	212 Performance	Gloves, Fire Resistant, Cut 2, Leather, XL
11421	212 Performance	Gloves, Seamless Knit, Nitrile Dipped, Cut 3 Resistant, Large (1 Dozen)
11422	212 Performance	Gloves, Seamless Knit, Nitrile Dipped, Cut 3 Resistant, XL (1 Dozen)
11425	212 Performance	Gloves, Grip Lite, Nitrile Dipped, Large (Case Qty.)
11427	212 Performance	Gloves, Grip Lite, Nitrile Dipped, XL (Case Qty.)



212 PERFORMANCE IMPACT CUT RESISTANT 2 SUPER HI-VIZ WORK GLOVES

- Protect from cuts, abrasion, and impact hand injuries
- Made for protection without sacrificing dexterity and feel



212 PERFORMANCE CUT RESISTANT 5 IMPACT LEATHER DRIVER GLOVES

- Made from tough, abrasion resistant buffalo leather
- Awesom impact protection and cut level 5 resistance



212 PERFORMANCE LEATHER DRIVER WORK GLOVES

- Made from tough cowhide leather
- Provides a classic style work glove ideal for a range of jobs



212 PERFORMANCE FIRE RESISTANT FABRICATOR CUT 2 LEATHER WELDING GLOVES

- Keep your hands protected when working on metal fabrication projects and more
- Provides cut level 2 resistance, padded knuckles, and is fire and heat resistant



212 PERFORMANCE AX360 SEAMLESS KNIT NITRILE-DIPPED CUT RESISTANT GLOVES

- The ultimate hybrid work glove
- Offers cut protection without compromising comfort and dexterity



212 PERFORMANCE GRIP LITE NITRILE-DIPPED WORK GLOVES

- Extremely comfortable
- Lightweight, breathable work glove
- Provides the wearer maximum dexterity and high gripping power

PERSONAL PROTECTIVE EQUIPMENT

ITEM ID	MANUFACTURER	PRODUCT DESCRIPTION
24247	Pelican	2010C Sabrelight Flashlight
21983	Pelican	9460 Remote Area Light - Yellow
49085	Pelican	9460M Remote Area Light - Yellow
24108	Pelican	9470 Remote Area Light - Yellow
40376	Pelican	9415 LED Lantern
12373	Pelican	2610 Headsup Lite Headlamp
48208	Pelican	9455 Remote Area Light



PELICAN SABRELITE 2010C

- As bright as a Xenon light with the battery life of an LED
- Super bright LED beam
- Twist on/off activation
- Unconditional Lifetime Guarantee of Excellence
- Waterproof
- Class I, Division 1
- Class II, Division 1
- Class III, Division 1
- IECEx ia



PELICAN 9460M REMOTE AREA LIGHT

- Dual telescoping LED light heads
- Multi-terrain trolley w/ 1.5" wheels
- Housed in a Pelican™ Protector Case™ housing
- Dual USB power adapter
- Silent operation
- Cool operating temperatures
- No exhaust
- Upright and lie flat pole brackets
- Full time battery level indication with low level flashing indicator
- RoHS and CE Compliant



PELICAN 9415 LED LANTERN

- Handy push button on/off switch
- High/Low/Flashing Modes
- Super bright LED beam
- Safety Certified – Class I, Division I



PELICAN 2610 HEADSUP LITE HEADLAMP

- Light weight, comfortable and well-balanced
- Super bright LED beam
- Unconditional Lifetime Guarantee of Excellence
- Class I, Division 1
- IECEx ia



PELICAN 9455 REMOTE AREA LIGHT

- Class I Division 1, ATEX Zone 0, IECEx ia safety certified
- Up to 1,600 lumens
- Up to 10 hours run time
- NiMH rechargeable battery
- High / Low lighting modes
- Low battery indicator

EGW EQUIPMENT REPAIR & CALIBRATION

Accidents and equipment failure strike at the most inopportune times, so don't fall behind due to faulty gear! At EGW Utility Solutions, we provide calibration and repair services on most of the equipment that we sell (and even some that we don't!)

- Gas Detectors/CGIs
- EF Processors
- Ferrous Metal Detectors
- Hammer Drills
- Leak Detectors
- Measurement & Gauges
- Marker Ball Locators
- Piercing Tools
- Pipe Locators
- Squeeze Tools



Visit www.egwutilitysolutions.com/services for more information!



TINKER & RASOR CPV-4 DIGITAL VOLTMETER

- Hand Held Instrument
- LCD digit display
- 20 Meg Ohm Impedance
- Filter AC Interference
- Heavy Duty Coiled Leads with Clamps
- Works with T&R Reference Electrodes: 6A, 6B, 8A, 8B
- Storage Case



TINKER & RASOR RF-IT ABOVE GROUND INSULATOR TESTER

- Hand Held Instrument
- Easily locates shorted bolts, replaces bolt to bolt
- Use on structure with or without CP
- Uses Radio Frequency to test effectiveness of above ground insulators
- Auto Shut-Off feature



TINKER & RASOR 8B SULFATE ELECTRODE HALF CELL

- Copper-copper sulfate half cell electrode
- 1.25" x 8", Pointed Tip
- Strong body for outdoor use
- High purity copper and copper sulfate



THERMOWELD EZ LITE

- Reliable patented ignitor – 100% guarantee to ignite
- No starting material needed
- Use with existing thermOweld EZ Lite® molds and weld metal
- Triple convenience features – EZ Lite® top light, side vent molds + remote option + famous standard
- thermOweld® weld metal reliability
- Built-in Battery Life Indicator
- Separate On/Off and Operate buttons

CATHODIC PROTECTION PRODUCTS

ITEM ID	MANUFACTURER	PRODUCT DESCRIPTION
45170	Tinker & Rasor	CPV-4 Digital Voltmeter
54852	Tinker & Rasor	RF-IT Above Ground Insulator Tester
Call	Tinker & Rasor	SR-2 Soil Resistivity Meter
52626	Tinker & Rasor	VC-2 Voltmeter Verifier
Call	Tinker & Rasor	CS-10 Portable Current Supply 10 AMP Output
20423	Tinker & Rasor	8-B Sulfate Electrode Half Cell
10984	Tinker & Rasor	Copper Sulfate crystals
35325	Tinker & Rasor	Anti-Freeze Solution for the 8-B, 32 oz
45052	Tinker & Rasor	Replacement tips for the 8-B, Saturated
52888	Tinker & Rasor	Repair Kit, 2 Replacement Tips, 2 Vinyl Covers for Half Cell Tip, 2 o-rings, knurled nut 1/4-20 thread, 1 4oz cupric sulfate crystals, 1 abrasive pad for cleaning copper rod
45360	Continental Industries	Thermoweld, Cathodic Handy Pack Kit, (Includes, 3/4"-3-1/2" Mold, Cartridges, Sleeves, Flint Gun, Mold Cleaner).
42072	Continental Industries	Thermoweld Mold
54973	Continental Industries	Thermoweld Sleeves #6 Solid
54971	Continental Industries	Thermoweld Flint Gun
54970	Continental Industries	Thermoweld Mold Cleaner Brush
14194	Continental Industries	#25 Weld Metal, 20 Pack
14700	Continental Industries	Thermoweld EZ Lite Remote Electric Ignition System

TINKER & RASOR SR-2 SOIL RESISTIVITY METER

- 4.5 Digital Display
- 0.01 Ω to 3.3 MΩ range
- Push button operations
- DL-1 Data logger connection
- Low battery indicator
- Internal rechargeable battery (12V)
- Battery charger included
- MIL-SPEC Instrument enclosure
- Soil boxes available (Sold Separately)



TINKER & RASOR VC-2 VOLTMETER VERIFIER

- Portable, battery operated
- Highly accurate DC output
- Verify any DC Voltmeter
- Battery test LED
- Works with T&R



TINKER & RASOR CS-10 PORTABLE CURRENT SUPPLY

- Adjustable DC Output from 0 to 10 Amps
- Input 15v DC Max
- Continuous or interrupted output
- LCD display of output, 1mA resolution
- Portable
- Lightweight (6 lbs. 2.72kg)
- MIL-SPEC case



THERMOWELD KIT

- The most reliable and consistently-performing weld metal available worldwide
- Includes, 3/4"-3-1/2" Mold, Cartridges, Sleeves, Flint Gun, Mold Cleaner



HAND TOOLS

ITEM ID	MANUFACTURER	PRODUCT DESCRIPTION
18423	White Rhino	Adj Valve Wrench Combo 5'-9' Black
38010	Hisco	Drain Spade, Long Handle
38011	Hisco	Drain Spade, D-handle
38007	Hisco	Shovel, Round Point
38009	Hisco	Shovel, Square Point
47430	Hisco	Post Hole Digger
39984	Hisco	Sledge Hammer, Double- Faced, 10 LBS, 36" Handle Fiberglass
111919	Hisco	Hammer, Double Faced, 2 Lb. 14" Handle Fiberglass
37418	Hisco	Hammer, Double- Faced, 4 LBS, 14" Handle Fiberglass
81000	Hisco	Pick Mattock
77426	Hisco	Heavy Duty Push Broom, 24"
38015	Hisco	Pinch Point Heavy Duty Bar
54933	Hisco	Tamper Head Digging Bar
54936	Hisco	Slate Heavy Duty Bar
54935	Hisco	San Angelo Heavy Duty Bar
38012	Hisco	Probe 48 Fiberglass Steel Pointed Tip
49555	True Temper	Rock Bar
12874	Engineers Tool Corp.	M-Pact-O Probe Bar



WHITE RHINO ADJUSTABLE VALVE WRENCH

- 1 1/4", 14 gauge square tubing
- Adjustable in 6" increments
- Pins are zinc-coated
- Fits 2" square operating nuts
- Comes with attachments to operate both hand wheels and 3/4" & 1" curb valves



HISCO LONG HANDLE DRAIN SPADE



HISCO D-HANDLE DRAIN SPADE



HISCO ROUND POINT SHOVEL



HISCO SQUARE POINT SHOVEL



HISCO POST HOLE DIGGER



HISCO SLEDGE HAMMER



HISCO DOUBLE-FACED HAMMERS



HISCO MATTOCK



HISCO PUSH BROOM



HISCO PRY BARS



HISCO PROBE



M-PACT-O PROBE BAR



KLEIN TOOLS SOCKET SET

- Four 6-point sockets: 3/8-Inch, 7/16-Inch, 1/2-Inch, and 9/16-Inch
- Five 12-point sockets: 5/8-Inch, 11/16-Inch, 3/4-Inch, 13/16-Inch, and 7/8-Inch
- Eight 6-point deep sockets: 3/8-Inch, 7/16-Inch, 1/2-Inch, 9/16-Inch, 5/8-Inch, 11/16-Inch, 3/4-Inch, and 13/16-Inch
- Two extensions: 1-3/4-Inch (44 mm) and 3-Inch (76 mm) long
- Ratchet and hinged red metal box



GREENLEE FISH TAPE

- Oil-tempered spring steel for excellent fishing performance
- Dirt-free tape finish keeps hands cleaner during use
- Advanced comfort handle grip reduces fatigue
- Superior rapid tape pay-out and rewind
- Smaller Fish Eye with offset bend for improved fishing ability
- Improved low profile tip for easy fishing through all sizes of conduit
- Viewing Port gives visibility to remaining tape and ability to remove jobsite debris quickly
- Rugged case design improves drop impact capability
- Flared case with Grip Ridges for no slip handling



ESTWING RIPPING CLAW HAMMER

- Solid America Steel
- Smooth Face
- Blue Shock Reduction Grip®

ITEM ID	MANUFACTURER	PRODUCT DESCRIPTION
111921	Klein Tools	20 Piece Socket Set 3/8 (4) 6 Pt. Std. Sockets 3/8 - 9/16 in (5) 12 Pt. Std. Sockets 5/8 - 7/8 in (8) 6 Pt. Deep Sockets 3/8 - 13/16 in (2) Extensions, Ratchet, Metal Box
54969	Greenlee	Fish Tape, 1/8" x 125'
48363	Klein Tools	8 Pc. Cushion-Grip Screwdriver Sets, Phillips; Slotted
55252	Klein Tools	NE-Type Side Cutter Pliers, 9 1/4 in Length, 23/32 in Cut, Plastic-Dipped Handle
10363	Channel Lock	440 Straight Jaw Tongue and Groove Pliers, 12 IN, Straight, 7 Adj.
50695	Irwin	Locking Pliers, Curved Jaw Opens to 1 5/8 in, 7 in Long
11920	Plumb	Brick Hammer Forged Steel Head, Fiberglass Handle, 12.25", 1.5 LBS
55044	Estwing	Ripping Claw Hammer
52875	Rigid	Pro Arc Hack Saw, 12"
52893	Rigid	Hack Saw Blades 12"



KLEIN TOOLS SCREWDRIVER SET

- General-purpose selection of the most frequently used screwdriver tips and sizes
- Tip-Ident® quickly identifies the screwdriver type and tip orientation
- Premium chrome-plated for smooth feel and corrosion resistance and precision-machined tip for exact fit
- Cushion-Grip handles for greater torque and comfort
- Internal flanges inside handle provide solid, twist-resistant blade anchor



IRWIN LOCKING PLIERS

- Constructed of high-grade heat-treated alloy steel for maximum toughness and durability
- Curved jaw puts tremendous pressure on four points of any style nut or bolt head
- Guarded release trigger quickly unlocks and protects from accidental release
- Hardened teeth are designed to grip from any angle
- Includes convenient wire cutter
- Turn screw to adjust pressure and fit, stays adjusted for repetitive use

KLEIN TOOLS NE-TYPE SIDE CUTTER PLIERS

- Precision machined, mating surfaces and design dimensions, to extremely close tolerances
- Smooth streamlined nose with knurled jaws
- Pliers halves are matched side to side, jaw to jaw, and hot riveted
- Drop forged, hardened, and tempered construction



PLUMB BRICK HAMMER

- Polished face, bit, back and sides
- Fiberglass handle with comfortable cushion grip
- Permabond® construction between head and handle
- For setting and cutting (splitting) bricks, masonry tile, and concrete block



RIGID PRO ARC HACKSAW

- High-strength bow design resists twisting
- Accepts 12" blade either at 45° or 90° cut angles
- Comfort grips fore and aft for better control and power
- Accepts 12 in blade either at 45 or 90 cut angles


HAND TOOLS

ITEM ID	MANUFACTURER	PRODUCT DESCRIPTION
111833	Stanley	High-Visibility Power-Return Tapes, 1 in x 25 ft
15630	Komelon	MK Series Measuring Wheels, 10 in, Feet/Inches
52870	Stanley	Cross Cut Hand Saw 26"
Call	PLCS	Rapid Gas Extractor
40488	Dixon Valve	Adjustable Hydrant Wrench
48063	CSN	Black Widow Hand Held Grease Gun
10135	Dualco	11020 Hydraulic Grease Gun



STANLEY HI-VIS TAPE MEASURE

- Polymer coated blade for long life
- Tru-Zero™ hook for accurate inside and outside measurements
- Rubber cushion grip for comfort, slip-resistant hold
- High-visibility green for easy identification on the job-site



KOMELON MK SERIES MEASURING WHEELS

- Adjustable twist and lock handle
- Polyvinyl tread for improved traction
- Magnifying lens for improved readability
- Accurate gear driven counter with push button reset
- Handle type: Pistol Grip, High Visibility Green



PLCS RAPID GAS EXTRACTOR

- Fast and simple
- Lightweight with no moving parts
- Inexpensive and compact



DIXON VALVE ADJUSTABLE HYDRANT WRENCH

- Plated iron head
- 7/8" plated steel handle



STANLEY HAND SAW

- SharpTooth™ technology uses three cutting surfaces to cut faster than conventional Stanley® hand saws
- Induction-hardened teeth stay sharp longer than standard teeth
- 45° and 90° blade markings for quick and easy measurements



DUALCO 11020 HYDRAULIC GREASE GUN

- Rated to 10,000 PSI
- Safety Latch & Tamper proof internal relief valve
- Detachable handle with 1oz. calibrations (measuring volume)
- Handle used as push rod to return barrel piston and to lock & unlock barrel cap
- Superior performance with viscous lubricants, sealants, packing & cleaners
- Easily serviceable and all replacement parts are readily available.
- Double Bypass Valve Stop & Sliding Stop Link
- Easily refilled with sticks or bulk
- Heavy duty metal construction
- Handle retaining Strap
- "Sure Grip" surfaces
- Corrosion resistant
- Easily Refilled



CSN BLACK WIDOW HANDHELD GREASE GUN

- 10,000 psi, 20 Volt, 4 amp battery operated hand gun
- LCD screen that displays battery life, grease capacity, ounces or grams dispensed and when the screen turns red, the barrel is empty
- Reset button turn on the flashlight and allows you to reset ounces or grams
- 1 and 2 Switch allows two flow rates



REED SLIP-JOINT PLIERS

- Designed for one-hand operation
- Built-in stop prevents hand injuries
- Angle nose, slip-joint plier style
- Handles are always parallel
- Zinc plating inhibits corrosion



REED ADJUSTABLE WRENCH

- Triple-coated, nickel-chrome exterior finish on CW models is corrosion-resistant.
- Blackened finish on CWB models improves grip for work in slippery conditions.
- Design angle allows for close quarter work on hex nuts.
- Precision-ground jaw slides make for the smoothest action.
- Standard thumb adjustment for tightening the jaws.



REED MAGNETIC GROUNDING SPIKE

- Quick connect magnet attachment for hassle-free grounding
- Compatible with many tools for polyethylene (PE) including ratchet shears
- Ground the work area to increase operator safety
- Heavy-duty cable with 7 foot working distance



REED ALUMINUM PIPE WRENCH

- Light and strong.
- Titanium-aluminum alloy handle of the Aluminum Pipe Wrench is heat-treated for maximum strength
- Straight & offset available

HAND TOOLS

ITEM ID	MANUFACTURER	PRODUCT DESCRIPTION
50696	Reed	Standard Slip-Joint Pliers
14903	Reed	Brass Hammer, 3LB
14465	Reed	Chain Vise 1/8"-2-1/2"
14471	Reed	Adjustable Wrench, 12"
46847	Reed	Adjustable Wrench, 15"
15156	Reed	Hack Saw, High Tension
15318	Reed	L2017 Socket Wrench 1 1/4 & 1 1/16
111835	Reed	Magnetic Grounding Spike w 7' Lead
20944	Reed	Manhole Hook
13311	Reed	Pipe Wrench, Aluminum, 14"
13312	Reed	Pipe Wrench, Aluminum, 18"
13313	Reed	Pipe Wrench, Aluminum, 24"
10016	Reed	Pipe Wrench, Heavy Duty, 24"
16532	Reed	Pipe Wrenultrah, Heavy Duty, 36"
30030	Reed	Pipe Wrench, Heavy Duty, 48"
16157	Reed	Pliers - 10" Adjustable Positive Grip
16158	Reed	Pliers - 12" Adjustable Positive Grip



REED CHAIN VISE

- Chain vises permit the holding of irregular shapes
- Provide an excellent cost-for-capacity value
- Reed chain vises are the fastest to use; two turns to open or close
- Strongest available and hardened tool steel jaws are triple-faced for rotations instead of replacements



REED L2017 SOCKET WRENCH

- Combines two popular socket sizes back to back into one tool
- Rugged construction of handle and ratchet mechanism
- Ergonomic grip on handle reduces hand fatigue for operator
- Open socket center, Thru-Bolt™ design fits on nuts on any threaded length



REED HEAVY-DUTY PIPE WRENCH

- Designed to withstand the heaviest demands
- Solid steel pin in the heel jaw strengthens Reed's heavy duty straight pipe wrenches
- Straight & offset available



REED BRASS HAMMERS

- Soft-faced brass hammer
- Shock absorbing
- Designed for the safe use of flare tools



REED HACKSAW

- Four permanent mounting pins permit both straight cutting and 45° angle for flush cutting
- Room to store spares blades in frame.
- Uses 12 inch blades



REED MANHOLE HOOK

- Open drain covers and manhole covers with ease; choose from three different manhole hook lengths
- Handle to head hooks offered in same plane or 90-degree rotation, depending on operator preference
- Heavy-duty, made in USA manhole cover tool designed to handle stubborn loads
- Handle sized to fit small to large hands



REED POSITIVE GRIP PLIERS

- Offset head design reaches into tight areas and allows for better leverage.
- Top and bottom jaw "v" shape permits pliers to grip a wide variety of shapes.
- Superior fastener surpasses traditional nut and bolt tightness issues.
- Pliers offer seven groove positions.

EXCAVATION & CONSTRUCTION TOOLS

ITEM ID	MANUFACTURER	PRODUCT DESCRIPTION
16309	Bone Safety	Sign, Utility Work Ahead, 36x36, Vinyl, High Vis.
48887	Bone Safety	Sign, End Utility Work, 36x36, Vinyl, Non-Reflective.
54975	Bone Safety	Sign, Right Land Closed w/ Left Overlay, 36x36, Vinyl, High Vis.
17188	Bone Safety	Sign Stands, Springless w/ Auto Latch
111723	Bone Safety	Traffic Cones, 28", Standard Base., 2 Reflective Stripes
15456	EGW	Manhole cover
14638	Euramco	Ramfan EFi75xx 12" - w/15' Anti-Static Duct
24666	Euramco	Ramfan Manhole Accessory
10239	VPC	Water Pit Pumps
Call	PLCS	Venturi Water Pump
38543	Honda	WSP100 Submersible Trash Pump



BONE SAFETY UTILITY SIGNS

- 36"X36"
- High-visibility and Non-reflective available



EGW MANHOLE COVER



RAMFAN MANHOLE ACCESSORY

- Anti-static system ventilates without blocking the entry
- Maintain airflow while working
- Permits rapid entry and exit



RAMFAN EFi75xx BLOWER/EXHAUSTER

- High pressure axial blower
- Durable, PC/ABS anti-static casing is weatherproof, dent resistant, v0 flame retardant and chemical resistant
- 2 integrated duct adapters
- IP55 rain switch enclosure



VPC WATER PUMP

- Multi-purpose for several applications in and outside the home
- Constructed of impact and chemical-resistant PVC for no wear
- Each stroke pumps 32 ounces of fluid from the application site



PLCS VENTURI WATER PUMP

- Extremely compact, low cost, lightweight pump
- Pumps slurry, mud, and small stones without effort
- Allows every crew and supervisor to have a pump in the truck
- Venturi type pump with no moving parts
- Supplied with 20 ft. of lay-flat discharge hose
- Sufficient power to pump water 7.5 ft.



HONDA WSP100 SUBMERSIBLE TRASH PUMP

- Side discharge
- 150 gal./min capacity
- Solids handling capability up to 2"
- Automatic non-mercury float switch
- Rated for continuous use

EXCAVATION & CONSTRUCTION TOOLS

ITEM ID	MANUFACTURER	PRODUCT DESCRIPTION
25051	Telesteps	Extension Ladder, 12.5' (16' Reachable Height)
49626	Telesteps	Extension Ladder, 14.5' (18' Reachable Height)
Call	Ultrashore	Trench Shoring
17666	Footage	Missile, 2", Big Shot Piercing Tool
17672	Footage	Missile, 2-1/2", Big Shot Piercing Tool
17674	Footage	Missile, 3", Big Shot Piercing Tool
17682	Footage	Missile, 4", Big Shot Piercing Tool
17711	Footage	Piercing Tool Accessory Kit (Air Hose, In-Line Oiler, Lubricant, Level, Pull Back Device)
18629	Quik-crete	Flowable Fill
55098	Diamond	C14 Pro Electric Hand Held Saw
52978	Diamond	M1 Complete Core Rig
52920	Diamond	8" Premium Diamond Core Bit
55092	Diamond	6" Premium Diamond Core Bit
55901	Diamond	4" Premium Diamond Core Bit
55099	Diamond	14" Delux-Cut, Dry, High-Speed Concrete Blade
55100	Diamond	14" Imperial Purple Blade
55101	Diamond	14" XL-Turbo Blade
55907	Diamond	Dust shroud for 2" - 8" Core Bits
55093	Diamond	Hilti Q.D. Male to 1.25-7 Male Adapter



TELESTEPS EXTENSION LADDERS

- Lightweight & Portable
- Trouble-Free Transport
- Many Ladders in One
- Quality Product
- OSHA Certified to 300lbs
- 12 Month Warranty



FOOTAGE BIG SHOT PIERCING TOOLS

- Available in 2", 2-1/2", 3" & 4" diameters
- Full line of accessories available
- Industry leading 2 year warranty
- Barrel bored from solid steel



ULTRASHORE TRENCH SHORING

- All panels can be used horizontally or vertically
- All panels are stackable
- Use as parallel shield panels or in "vee" or "wedge" configuration
- Close off one or both ends with quick release, spring-loaded end closure panels
- Easy to assemble and tear down
- One person can lower a single pair of assembled panels into an excavation
- Two people can lower a stacked assembly of two panels into an excavation
- Transport assembled or broken-down in the smallest pickup
- Bury depth to 12 ft., even in Class "C" soils
- NO CHANCE OF PUNCTURING



DIAMOND C14 PRO ELECTRIC HAND HELD SAW

- Wet or dry cutting
- Overload protection with load warning LED light visible to operator
- Detachable guide rollers
- Splash guard to protect from water spray
- Handles designed for optimal control
- Tool-free blade guard angle adjustment
- Lightweight magnesium blade guard
- Externally accessible motor brushes
- Standard water feed system with fine adjustable flow and quick release coupling and durable hose



DIAMOND M1 COMPLETE CORE RIG

- 2-1/2" square column (mast) with black oxidized finish
- 6" wheels for easy mobility
- Dual switch/outlet control panel with amp meter (except for CB700 models with LED amp meter)
- Vacuum pump for quick mounting to flat surface without drilling an anchor hole (included with combination rig)
- 4 leveling screws on the base
- Up to 14" bit capacity with one spacer block
- Slide handle allows for drilling in tight areas
- Combination base is a quick change over from vacuum to anchor base
- Ceiling jack helps keep the rig in place as a backup for anchoring or vacuuming the base down (used with a brace piece-2 x 4 or other material)



14" x .125" x 1" Delux-Cut, Dry, High-Speed Blade for Concrete



14" x .125" x UNV" Imperial Purple General Purpose Blade for Asphalt, Green Concrete, Brick and Block



14" x .125" x UNV" XL-Turbo Blade General Purpose, Super Fast Cutting, Turbo Core w/ Air Holes to Keep Blade Cool



Diamond 4", 6", & 8" Premium Core Bit

EXCAVATION & CONSTRUCTION TOOLS

ITEM ID	MANUFACTURER	PRODUCT DESCRIPTION
16883	MBW	Soil Pick
29392	MBW	Ergo-Tamp
49575	MBW	R442 Rammer
16315	MBW	AR56 Airammer
Call	EGW	Rubber Mini Excavator Tracks - Most Sizes & Manufacturers
111458	EGW	Rubber Track Mini Excavator 35G/35D
22591	Rhino Marking	Pipe Damage Indicator Tool (Hit Kit)



- MBW R442 RAMMER**
- 4-cycle engine
 - Elevated bellows placement
 - Polyethylene slide bearings
 - Integral tachometer
 - Choice of two engines
 - 11" ductile cast iron tamping shoe



- MBW AR56 AIRAMMER**
- Pneumatically powered
 - Safest rammer made
 - Very Low Hand/Arm Vibration
 - Quietest rammer in the market place
 - Safe for indoor use
 - Easy to maneuver
 - Adjustable hose position
 - Easy transport & storage



- MBW SOIL PICK**
- Non-conducting barrel
 - Large deflector protects operator from debris
 - Pressure gauges ensure maximum performance
 - Variable polymer trigger reduces fatigue
 - Ergonomic handle
 - Non-sparking nozzle allows safe use around leaking gas lines



- RUBBER TRACKS**
- Specially formulated rubber compound is highly resistant to cutting and tearing
 - Inside the rubber track core are "Dual Continuous Steel Belts": multi-strand cables wound in a tight spiral to create a wide steel belt
 - Proven to be more reliable than traditional, overlapping steel cores



- MBW ERGO-TAMP**
- Reduces hand/arm vibration up to 70%
 - Lower incidence of pavement failure
 - Optional trigger guard
 - Excellent for keyhole operation
 - Waterproof

■ RHINO MARKING HIT KIT

- Helps record damage to buried utilities with a distance perspective that tells the whole story
- Provides the tools to photograph damages in a consistent, clear way which translates into reduced cost and litigation
- When damages are documented, one of the key objectives is to show how far the damage is from the marks, but often times it is not easy to determine from photographs alone; that's where the HIT Kit comes in
- 1 marker post with 2- 7/8" x 14" bold "MARK" legend
- 1 marker post with 2- 7/8" x 14" bold "DAMAGE" legend
- Ruler with documentation guidelines on the back
- 2 marker post bases
- 4 spikes
- Durable carrying bag





METABO 18V CORDLESS DRILL DRIVER

- Only 2.8 lbs for less fatigue during extended use
- Covered by Metabo HPT's lifetime lithium-ion tool warranty
- 620 in-lbs to tackle a variety of applications
- 22 + 1 clutch settings for versatility to handle various jobs
- Maintains constant RPMs while cutting
- Soft, vibration reducing grip for greater comfort
- Gauge the status of the battery and reduce down time
- Brushless technology for higher efficiency, increased run time and longer tool life
- Two batteries, charger, case, and combo bit included



METABO 36V CORDLESS RECIPROCATING SAW

- MultiVolt™: It's Cordless, It's Corded, It's BOTH!
- Cuts Per Charge: 100 cross cuts (2" x 12" wood)
- Delivers a 1-1/4" stroke length for convenience and speed when performing various applications
- Slim body makes the tool easier to grip for enhanced operating efficiency
- Bare tool
- Faster cutting through wood
- Vibration protection

POWER TOOLS & ACCESSORIES

ITEM ID	MANUFACTURER	PRODUCT DESCRIPTION
54905	Metabo	18V Cordless Drill Driver
52859	Metabo	36V Cordless Reciprocating Saw - Bare Tool
52862	Metabo	36V MultiVolt Variable Speed Cordless Angle Grinder
52850	Metabo	36V MultiVolt™ WR36DE Cordless 1/2" Mid-Torque Impact Wrench Kit
52849	Metabo	18V Cordless Hammer Drill and Impact Driver Kit
52885	ITM	Recip. Saw Blade - 12" x 18T HD Metal (.035) - 50 ct box
52887	ITM	Recip. Saw Blade - 6" x 14T Heavy-Metal (1") Blunt Nose - 50 ct box
52884	ITM	Recip. Saw Blade - 12" x 14T Heavy-Metal (1") Blunt Nose - 50 ct box



METABO 18V CORDLESS HAMMER DRILL AND IMPACT DRIVER KIT

- The 18V Impact Driver produces up to 1,832-in/lbs of torque, up to 2,900 RPM and 4,000 max IPM (Impacts Per Minute)
- The 18V Driver Drill produces up to 620-in/lbs of torque, and up to 1,800 RPM with 0-27,000 IPM. 22-stage + 2 clutch settings deliver 22 torque settings, a drill mode and a hammer drill mode for ultimate precision and control
- (2) 3.0Ah batteries, charger, case and double sided phillips bit
- Each tool features an LED light to illuminate dark areas
- Impact Driver (Only 2.1 lbs) and Drill (Only 2.8 lbs)
- Brushless technology for higher efficiency, increased run time and longer tool life
- Covered by Metabo HPT's Lifetime Lithium-Ion Tool Warranty and two-year Lithium-Ion battery warranty



METABO 36V MULTIVOLT VARIABLE SPEED CORDLESS ANGLE GRINDER

- MultiVolt: It's Cordless. It's Corded. It's Both!
- Powered by MultiVolt™ 36V battery or AC adapter (ET36A).
- Slim grip circumference reduces fatigue and improves control, especially during continuous use applications
- Variable speed dial to match grinder speed to user application
- Auto-Mode reduces RPM while idling to preserve battery life and reduce noise level
- Soft-start reduces the load felt by the user at start-up
- Spindle lock and tool-less wheel guard for quick and easy disc changes
- Anti-Kickback quickly shuts off power in the event of a bound wheel, extending tool life and protecting the user from potential harm



ITM HEAVY-DUTY CONCRETE BITS

- Industrial Quality
- Special Tungsten Carbide Tip
- Copper/Silver Brazing
- Fastest Dust Removal
- Fastest Drilling Speeds
- 3/4" X 36"
- 7/8" X 36"
- 5/8" X 12-1/4"



ITM RECIPROCATING SAW BLADES

- Made In USA
- Bi-Metal
- 8% Cobalt
- Long Life
- Greater Rigidity
- Available in 6" and 12" blades
- Metal and wood cut

POWER TOOLS & ACCESSORIES

ITEM ID	MANUFACTURER	PRODUCT DESCRIPTION
Call	Metabo	Multivolt SDS Max Rotary Hammer
52835	Metabo	36V MultiVolt SDS Plus 1-1/8" Rotary Hammer
52856	Metabo	DH40MEY 1-9/16" SDS Max Rotary Hammer
52866	Metabo	1-1/8 Inch Hex Breaking Hammer
52855	Metabo	18V/36V Li-Ion Slide Rapid Battery Charger w/ USB Port
52863	Metabo	36V MV Corded AC Adapter, for all 36V Tools
50876	Metabo	36V 4.0Ah/18V 8.0Ah MV Li-Ion Battery
52852	Metabo	18V Li-Ion Slide Compact Battery (3.0Ah): BSL183C



METABO CORDLESS MULTIVOLT SDS MAX ROTARY HAMMER

- 4-Stage speed selection from 260-590 RPM and 1,420- 2,860 BPM with 7.7 ft-lbs of impact energy for busting through hard material
- Switch between hammer and hammer drill for flexibility within a range of applications
- Low vibration handle
- Senses the tool overload and stops rotation to ensure user safety and protect the tool motor and battery
- Quick release bit system for fast and simple bit replacements for different applications
- 360 Degree side handle that provides additional comfort and control
- Tool can be powered by multi-volt battery or AC adapter (sold separate)
- Covered by a 1-Year tool body warranty, 2-Year Lithium Ion Battery warranty and 1-Year Charger warranty along with a 30-day no question return policy



METABO 1-1/8 INCH HEX BREAKING HAMMER

- 10.8 Amp (1,340 W input) motor
- 33.2 ft/lbs of impact energy for heavy-duty demolition and 1,400 BPM for rapid results
- Aluminum Housing Body construction significantly enhances the internal and external durability of the tool
- Full-load vibration level of only 13.9 m/s2) for less fatigue with continuous use
- Elastomer grip reduces vibration transfer
- Cushioned auxiliary handle that rotates 360 degrees is located between the body of the tool and the bit cylinder to provide optimal control and grip on the tool
- Universal tool retainer accepts 3 types of 1-1/8" hex shank bits; standard hex, collarless retaining groove and air tool bits
- Large trigger switch with lock-on to increase productivity and reduce fatigue during continuous use



METABO 1-9/16" SDS MAX ROTARY HAMMER

- Ultra efficient low-maintenance AC Brushless motor that permits the use of extra-long extension cords with reduced power loss
- Superior performance when using a generator due to an internal inverter circuit that regulates uneven power supply
- UVP (User Vibration Protection) technology greatly reduces vibration for comfortable extended use and fewer vibration related injuries
- AHB (Aluminum Housing Body) construction significantly enhances the internal and external durability of the tool



METABO 36V MV CORDED AC ADAPTER

- Use the Power tool AC Adapter with power cord for all day runtime on 36V MultiVolt tools
- Power source option for the MultiVolt power tool platform that offers the power of a corded tool



METABO 36V 4.0AH/18V 8.0AH MV LI-ION BATTERY

- 36V battery power source for Metabo HPT MultiVolt platform
- Battery can power Hitachi or Metabo HPT 18V slide type tools including cordless nailers
- Battery delivers 4.0Ah of runtime at 36V in MultiVolt tools
- Battery indicator shows remaining battery level



METABO 18V/36V LI-ION SLIDE RAPID BATTERY CHARGER

- Fast charger for all 36V and 18V batteries
- Features USB port to charge phone
- LED & sound feedback for full charge



METABO 18V LI-ION SLIDE COMPACT BATTERY

- Provides a 3.0 Amp Hour capacity
- Available for use with the MultiVolt power tool platform



DURACELL PROCELL BATTERIES

- Reliable long-lasting power
- Designed in collaboration with manufacturers to work best in professional devices
- Stringent quality standards based on ANSI and IEC recommendations
- Operating temperatures from -4°F to 129.2°F

MISCELLANEOUS PRODUCTS

ITEM ID	MANUFACTURER	PRODUCT DESCRIPTION
45937	Duracell	D Cell Batteries, Duracell, Procell
45936	Duracell	C Cell Batteries, Duracell, Procell, Procell
45935	Duracell	AA Cell Batteries, Duracell, Procell
46003	Duracell	AAA Cell Batteries, Duracell, Procell
45938	Duracell	9-Volt Cell Batteries, Duracell, Procell
38866	WD-40	WD-40, 12 oz
20936	Rainbow Technology	Wasp Spray (Case)
42262	GOSS	Odorant Mask Spray, 1 Qt. Spray
50258	FG Clean Wipes	Alcohol Wipes
11929	EGW	White Knit Rags 10 lb. box
52763	EGW	Colored Knit Rags 10 lb. Compressed Poly-bag
32948	King Innovation	Duct Tape, 2", 8mm
46004	King Innovation	Electrical Tape, 3/4"



WD-40

- Smart straw allows easy application to various locations
- Moisture-displacing design eliminates moisture-induced short circuits
- Corrosion-resistant ingredients protect metals against corrosive elements
- Advanced design lets you quickly free stuck, frozen or rusted metal parts



RAINBOW WASP SPRAY

- Quickly knocks down flying and stinging insects
- SAFE for use on and in utility and telecom equipment
- High-output spray pattern
- Unique locking mechanism



GOSS ODORANT MASK SPRAY

- Deodorizer
- 32 oz bottle
- Case quantities available



KING INNOVATION DUCT TAPE

- General purpose 9 mil, multipurpose grade tape
- Excellent adhesion to a wide variety of surfaces
- Use for a broad range of applications or bundling
- Conforms well to irregular spaces



KING INNOVATION ELECTRICAL TAPE

- General purpose 7 mil, weather resistant, flame retardant
- Use for all mechanical and electrical applications
- Use as a primary insulation under 600v
- Use as a protective outer jacket over splices



WHITE KNIT RAGS

- 100% lint free
- Made from cut-up cotton t-shirts
- 10lb box
- Available in pallet quantities



COLORED KNIT RAGS

- 100% lint free
- Made from cut-up cotton t-shirts
- 10lb Compressed Poly-bag
- Available in pallet quantities

MISCELLANEOUS PRODUCTS

ITEM ID	MANUFACTURER	PRODUCT DESCRIPTION
45299	AA Thread Seal Tape Inc.	Yellow Teflon Tape
42262	Gas Odorant Service & Supply	Odorant Mask Spray, 1 Qt. Spray
50258	FG Clean Wipes	Alcohol Wipes
46605	Century	Extension Cord 8/3 - 50'
172-01289	Southwire	Vinyl Extension Cord, 100 ft, 1 Outlet
50258	FG Clean Wipes	Pre-saturated Wipes, 12 Tubs/Case, 96% IPA, 8"X6"
17570	FG Clean Wipes	Pre-saturated Wipes 10 Boxes/Case, 96% IPA, 3"X4"
51602	FG Clean Wipes	Pre-saturated Wipes 10 Boxes/Case, 96% IPA, 8"X6"
111532	Union Sling Co	Steel Plate Lifting Chain
51831	Best Welds	Magnetic Grounding Clamp
54924	Pelican	Drink Cooler, 70 QT, Blue
54925	Pelican	Tumbler, 16 Oz., Silver
52946	Pelican	Tumbler, 22 Oz., Silver
54927	Pelican	Bottle, 32 Oz., Black
54928	Pelican	Bottle, 64 Oz., Black



**AA THREAD SEAL TAPE
YELLOW THREAD SEAL TAPE**
• Meets 4 MIL 27730A & CID AA 58092



PEERLESS SHACKLES

- Hot dipped galvanized to ASTM A153
- Proof load at 2 times the working load limit
- Ultimate load at 5 times the working load limit
- Meet or exceed FED SPEC RR-C-271D requirements
- 5/16", 3/8", 7/16", 1/2", 5/8", 3/4", 7/8", 1", 1-1/8", 1-1/4", 1-3/8", 1-1/2", & 2"



**FG CLEAN WIPES 96%
IPS PRE-SATURATED WIPES**

- Polyester cellulose material
- 96% IPA / 4% purified DI water
- Resealable canister
- Size: 6" x 8.5"
- Packaged 100/ foil pack - 11 foil packs + 1 full tub/case
- Purity and cleanliness to support ISO 5 environments



**BEST WELDS MAGNETIC
GROUNDING CLAMP**

- Large contact area for optimum electrical contact
- Superior gripping power
- Insulated to prevent annealing



PELICAN ELITE 70QT COOLER

- Extreme ice retention
- Press & Pull Latches
- Integrated Cup Holders
- Built-in Bottle Opener
- Non-Skid & Non-Marking Raised Feet
- Molded-In Lock Hasp, Stainless Steel Plate



PELICAN TUMBLERS

- Extreme cold & heat retention
- 18/8 pro grade stainless steel
- Sweat-free powder coat finish
- Twist flow control lid made with Tritan™ Copolyester



PELICAN BOTTLES

- Extreme cold & heat retention
- 18/8 BPA-free stainless steel
- Spill-Resistant Lid
- Leak-proof carry handle lid
- Guaranteed for life



CORE VALUES

WE WILL:

- DO THE RIGHT THING
- PUT CUSTOMERS FIRST
- CARE FOR TEAMMATES
- WORK HARD
- CONSTANTLY IMPROVE
- HAVE FUN

CORE PURPOSE

SOLVING PROBLEMS | MAKING CONNECTIONS | SERVING OTHERS



1406 Hutton Dr., Carrollton, TX 75006 • 972.446.1655

www.egwutilitysolutions.com